







COILSIDE ELEVATION




VERTICAL DETAIL



BOTTOM BAR DETAIL



WINDLOCK DETAIL



GUIDE DETAIL

NOTES:

1. UNIFORM STATIC AIR PRESSURE TEST PERFORMED PER ASTM E 330
2. TENSILE TEST PERFORMED ON CURTAIN PER ASTM E 8
3. TESTED BY ARCHITECTURAL TESTING, INC.
4. CURTAIN IS .028 MIN STEEL PER ASTM A 653, GR.40
5. GUIDE ANGLES ARE STRUCTURAL STEEL PER ASTM A 36
6. HOOD IS 24GA GALVANIZED STEEL

TEST	DATE	TEST REPORT NUMBER	RESULTS
UNIFORM STATIC AIR PRESSURE			
TENSILE			

PART NUMBER	WEIGHT (LB.)	TITLE	DRAWN BY	CHECKED BY	APPROV. BY	TOLERANCES (UNLESS OTHERWISE SPECIFIED)
REFERENCE		WINDLOAD TEST, 822, 22' x 8', #14 SLAT, ±37 PSF DESIGN (±56 PSF TEST)	M. DAUS			LINEAR .X ± .060 LINEAR .XX ± .030 LINEAR .XXX ± .010 ANGULAR ± .50° DIMENSIONS IN INCHES
		MATERIAL AS SHOWN	SCALE - WHEN THIS BOX IS .50" HIGH	ORIGINAL RELEASE		
			NONE			

THIS DRAWING IS THE PROPERTY OF WAYNE DALTON AND IS LOANED WITH THE EXPRESSED AGREEMENT THAT THE DRAWINGS AND INFORMATION THEREIN CONTAINED ARE THE PROPERTY OF WAYNE DALTON AND WILL NOT BE REPRODUCED, COPIED, OR OTHERWISE DISPOSED OF, DIRECTLY OR INDIRECTLY, AND WILL NOT BE USED IN WHOLE OR IN PART TO ASSIST IN MAKING OR TO FURNISH ANY INFORMATION FOR THE MAKING OF DRAWINGS, PRINTS, OR OTHER REPRODUCTION THEREOF, OR FOR THE MAKING OF APPARATUS OR PARTS THEREOF, EXCEPT UPON WRITTEN PERMISSION OF WAYNE DALTON FIRST OBTAINED AND SPECIFIC AS TO EACH CASE. THE ACCEPTANCE OF THIS DRAWING WILL BE CONSIDERED AS AN ACCEPTANCE OF THE FOREGOING AGREEMENT.



Wayne Dalton
Rolling Door Division
44512 Lincoln Way E.
Delfon, Ohio 44018

REV.	REV'D. BY	APPVD. BY	RELEASE	DESCRIPTION
				REVISIONS

SIZE	DRAWING NO.	REVISION
B	035-0006	