





By [Signature]
Miami-Dade Product Control

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 17-0426.08
Expiration Date 03/01/2022
By [Signature]
Miami-Dade Product Control



Approved: MARK A. SAWICKI, P.E. FL # 72613
2501 S. STATE HWY 121 SUITE 200
LEWISVILLE, TX 75067


Date: _____

1. DESIGN PRESSURE = ± 47 PSF, TESTED IN ACCORDANCE WITH TAS 201, TAS 202, AND TAS 203 BY ARCHITECTURAL TESTING, INC. (YORK, PA)
2. ALL WELDING TO CONFORM TO AMERICAN WELDING SOCIETY'S LATEST EDITION AND FLORIDA BUILDING CODE. USE A.W.S. A5.1 OR A5.5 E70XX ELECTRODES.
3. THE CONTRACTOR SHALL ENSURE THAT THE WALL CAN SUPPORT THE JAMB FORCES INDICATED ON THIS DRAWING.
4. WINDLOCKS ON BOTH ENDS OF ALL SLATS (CONTINUOUS).
5. HOODS ARE 24GA GALVANIZED STEEL, STAINLESS STEEL, OR ALUMINUM.
6. ALL GALVANIZING PER ASTM A 653. SHOP COAT OF RUST INHIBITIVE PRIMER ON NONGALVANIZED STEEL SURFACES.
7. DOOR MAY BE LIFT UP, CRANK, HOIST, OR ELECTRIC OPERATION.
8. CURTAIN IS .028 (22 GA) MIN STEEL PER ASTM A 653, GR.40, G90 GALVANIZED.
9. GUIDE AND BOTTOM BAR ANGLES ARE STRUCTURAL STEEL PER ASTM A 36.
10. TESTING PERFORMED ON A 10' WIDE X 10' HIGH DOOR (SHOWN), APPROVAL APPLIES TO DOORS UP TO 10' WIDE X UP TO 30' HIGH WITH COMPONENTS OF EQUAL OR GREATER STRENGTH.
11. OPERATING MECHANISM NOT PART OF THIS APPROVAL. MUST BE CERTIFIED BY AN INDEPENDANT THIRD PARTY.
12. DOOR IS CAPABLE OF INTERIOR OR EXTERIOR MOUNTING.


12. DOOR IS CAPABLE OF INTERIOR OR EXTERIOR MOUNTING.					PART NUMBER		WEIGHT (LB.)		TITLE DADE COUNTY TEST DOORS AND APPROVED MODIFICATIONS, SERIES 800 SERVICE DOOR, HVHZ, ±47 PSF DESIGN, UP TO 10' WIDE x UP TO 30' HIGH		DRAWN BY M. DAUS 10/24/2006		CHECKED BY		APPVD. BY D. MONSOUR 03/26/2007		TOLERANCES (UNLESS OTHERWISE SPECIFIED)		 Wayne Dalton Rolling Door Division 14512 Lincoln Way E. Dalton, Ohio 44618	
REFERENCE PAGE 1 OF 2					MATERIAL AS SHOWN		SCALE - WHEN THIS BOX IS .50" HIGH NONE				ORIGINAL RELEASE PCR R-00424		LINEAR .X ± .060 LINEAR .XX ± .030 LINEAR .XXX ± .010 ANGULAR ± .50" DIMENSIONS IN INCHES							
B	DG 13/2/17	TB 3/2/17	ER 503497	CORRECTIONS TO PRINT PER ER																
A	TJS 11/29/16	TB 11/29/16	ER 503502	UPDATE PRINT TO REFLECT LATEST TEST REPORT F7667.01-109-18																
REV.	REV'D. BY	APPVD. BY	RELEASE	DESCRIPTION																
REVISIONS															SIZE B		DRAWING NO. 035-0031		REVISION B	

DRAWING NO.
035-0031


PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. **18-0815.09**
Expiration Date **03/01/2022**
By *[Signature]*
Miami-Dade Product Control




GUIDE MOUNTING DETAIL
GUIDES BOLTED TO CONCRETE JAMB



GUIDE MOUNTING DETAIL
GUIDES BOLTED TO STEEL JAMB




GUIDE MOUNTING DETAIL
GUIDES WELDED TO STEEL JAMB
AT SLOT AND TOE



GUIDE MOUNTING DETAIL
GUIDES WELDED TO STEEL JAMB
AT SLOT AND HEEL

GUIDE TYPE	FORCE (lbs/ft)	
	POS WINDLOAD	NEG WINDLOAD
Z-GUIDE	Rx = 442	Rx = 442
	Ry = 355	Ry = 781
	Px = 442	Px = 442
	Py+ = 235	Py- = 235
E-GUIDE	Rx = 442	Rx = 442
	Ry = 1127	Ry = 1041
	Px = 442	Px = 442
	Py+ = 235	Py- = 235

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No **17-0426.09**
Expiration Date **03/01/2022**
By *[Signature]*
Miami-Dade Product Control



Approved: **MARK A. SAWICKI, P.E. FL # 72613**
2501 S. STATE HWY 121 SUITE 200
LEWISVILLE, TX 75067

Date: _____

REV.	REV. BY	APPVD. BY	RELEASE	DESCRIPTION
B	DG 13/2/17	TB 3/2/17	ER 503497	CORRECTIONS TO PRINT PER ER
A	TJS 11/29/16	TB 11/29/16	ER 503502	UPDATE PRINT TO REFLECT LATEST TEST REPORT F7667.01-109-18
REVISIONS				

PART NUMBER	WEIGHT (LB.)	TITLE	DRAWN BY	CHECKED BY	APPVD. BY	TOLERANCES (UNLESS OTHERWISE SPECIFIED)	 Wayne Dalton Rolling Door Division 14512 Lincoln Way E. Dalton, Ohio 44618	
REFERENCE	PAGE 2 OF 2	DADE COUNTY TEST DOORS AND APPROVED MODIFICATIONS, SERIES 800 SERVICE DOOR, HVHZ, ±47 PSF DESIGN, UP TO 10' WIDE x UP TO 30' HIGH	M. DAUS 10/24/2006		D. MONSOUR 03/26/2007	LINEAR .X ± .060 LINEAR .XX ± .030 LINEAR .XXX ± .010 ANGULAR ± .50° DIMENSIONS IN INCHES		
		MATERIAL AS SHOWN	SCALE - WHEN THIS BOX IS .50" HIGH NONE	ORIGINAL RELEASE PCR R-00424				
						SIZE B	DRAWING NO. 035-0031	REVISION B