EVALUATION REPORT — FLORIDA BUILDING CODE, 9TH EDITION (2026)

Issued September 3, 2026

Manufacturer: G.M.C.ROOFING & BUILDING PAPER PRODUCTS, INC.
6400 Zerker Avenue
Shafter, CA 93263
(661) 399-4324
http://gmcpaper.com

Manufacturing Plants: Jasper, FL
Pryor, OK

Quality Assurance: Keystone Certifications Inc. (QUA1824)

SCOPE

Category: Roofing
Subcategory: Underlayments
Code Edition: Florida Building Code, 9th Edition (2026) including High-Velocity Hurricane Zones (HVHZ)
Code Sections: 1507.1.1, 1507.2.9.2, 1518.2, 1523.1.1
Properties: Physical properties

REFERENCES

Entity	Report No.	Standard	Year
PRI Construction Materials Technologies (TST5878)	GAPF-005-02-02	ASTM D 4869	2016(2021)
PRI Construction Materials Technologies (TST5878)	GAPR-027-02-01	ASTM D 226	2017(2023)
PRI Construction Materials Technologies (TST5878)	GAPF-010-02-01	ASTM D 6380	2003(2022)

PRODUCT DESCRIPTION AND APPLICATION

30 ASTM D 4869 Type II — ASTM D 4869 Type II asphalt-saturated organic felt underlayment used in steep slope roofing.

30 ASTM D 226 Type II — ASTM D 226 Type II asphalt-saturated organic felt underlayment used in steep slope roofing.

Tile Underlayment — ASTM D 6380 Class M Type II underlayment made from asphalt-saturated, organic felt coated on both sides with weathering grade coating asphalt then covered on top with opaque head lap granules.

APPLICATION

Deck Type: The roof deck shall be constructed in accordance with FBC requirements.

Attachment method: Underlayment shall be attached in accordance with FBC Sections 1507.1.1 and 1507.2.9.2 for the non-HVHZ, FBC Section 1518.2 for the HVHZ, and the manufacturer's installation instructions.

Allowable Roof Coverings: Permitted to be used with mechanically fastened roof coverings as prescribed in FBC Sections 1507.1.1 and 1507.2.9.2 for the non-HVHZ and FBC Section 1518.2 for the HVHZ.

This evaluation report is provided for State of Florida product approval under Rule 61G20-3. The manufacturer shall notify CREEK Technical Services, LLC of any product changes or quality assurance changes throughout the duration for which this report is valid. This evaluation report does not express nor imply warranty, installation, recommended use, or other product attributes that are not specifically addressed herein.

LIMITATIONS

1. Fire Classification is not within the scope of this evaluation.
2. Wind uplift resistance in not within scope of this evaluation.
3. Roofing felts shall be installed in strict compliance with this evaluation report, the applicable building code, and the manufacturer's published installation instructions.
4. Tile Underlayment may only be applied in atmospheric temperatures greater than 50°F and should be unrolled and allowed to lay flat in warm sunlight to relax and avoid buckling.
5. Deck substrates shall be clean, dry, and free from any irregularities and debris. All fasteners in the deck shall be checked for protrusion and corrected prior to underlayment application.
6. All underlayments shall be installed with the roll length parallel to the eave, starting at the eave, and lapped in success courses installed up the deck in a manner that effectively sheds water from the deck. End laps shall be staggered between courses in accordance with the manufacturer's application instructions.
7. Roofing felts may be used as described in other current FBC product approval documents.
8. Installation of the primary roof covering is recommended immediately following installation of roofing felt and in no case shall the underlayment be exposed for greater than 30 days.
9. Materials shall conform to FBC Section 1711 as well as FBC Section 1506 outside of the HVHZ and FBC Section 1517 within the HVHZ.
10. All products listed in this report shall be manufactured under a quality assurance program in compliance with Rule 61G20-3.

COMPLIANCE STATEMENT

This report has been prepared in accordance with F.A.C. Rule 61G20-3.

This item has been digitally signed and sealed by Zachary R. Priest, PE, on 9/3/2026.

Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Digitally signed by Zachary R. Priest
2026.09.03 10:43:03 -04'00'

Zachary R. Priest, P.E.
Florida Registration No. 74021
Organization No. ANE9641

CERTIFICATION OF INDEPENDENCE

CREEK Technical Services, LLC does not have, nor will it acquire, a financial interest in any company manufacturing or distributing products under this evaluation.

CREEK Technical Services, LLC is not owned, operated, or controlled by any company manufacturing or distributing products under this evaluation.

Zachary R. Priest, P.E. does not have, nor will acquire, a financial interest in any company manufacturing or distributing products under this evaluation.

Zachary R. Priest, P.E. does not have, nor will acquire, a financial interest in any other entity involved in the approval process of the product.

END OF REPORT

This evaluation report is provided for State of Florida product approval under Rule 61G20-3. The manufacturer shall notify CREEK Technical Services, LLC of any product changes or quality assurance changes throughout the duration for which this report is valid. This evaluation report does not express nor imply warranty, installation, recommended use, or other product attributes that are not specifically addressed herein.