




The Genuine. The Original.




OVERHEAD DOOR CORPORATION
2501 SOUTH STATE HIGHWAY 121
SUITE 200 LEWISVILLE, TX 75067
(800) 275-3920




DETAIL 1
MINIMUM 2500 PSI CONCRETE
NOTE: MAXIMUM DESIGN LOAD
CAPACITY OF 2085 LBS.



DETAIL 2
MINIMUM 2000 PSI GROUT FILLED CMU
NOTE: MAXIMUM DESIGN LOAD
CAPACITY OF 2400 LBS.



DETAIL 3
WOOD SUPPORT STRUCTURE
NOTE: MAXIMUM DESIGN LOAD
CAPACITY OF 2430 LBS.



John Christian Voelkel

Digitally signed
by John
Christian Voelkel
Date: 2020.08.11
07:42:07 -05'00'

J. CHRISTIAN VOELKEL, PE
312 N. NEW WARRINGTON ROAD, UNIT 1A
PENSACOLA, FL
FL PE 82229
TX PE 133174

PROFESSIONAL ENGINEER'S SEAL PROVIDED ONLY FOR
VERIFICATION OF WINDLOAD CONSTRUCTION DETAILS.

REVISIONS

P00 NEW DRAWING,
ER31052
ESC 8/6/18

P01 NOTES REVISION
JQ 2/27/2020

	DATE	NAME
DRAWN	8/6/18	ESC
CHECKED		
DRAWING PART NO.	411526	REV. P01

SHEET 1 OF 2

JAMB CONNECTION SUPPLEMENT

The Genuine. The Original.




OVERHEAD DOOR CORPORATION
2501 SOUTH STATE HIGHWAY 121
SUITE 200 LEWISVILLE, TX 75067
(800) 275-3920


REVISIONS

P00 NEW DRAWING,
ER31052
ESC 8/6/18


P01 NOTES REVISION
JQ 2/27/2020



TRACK BRACKET LOCATIONS AND
SPACING PER THE WINDLOAD DOOR
DRAWING



IF JAMBS ARE NOT SOUTHERN
PINE, MUST ATTACH A SOUTHERN
PINE 2X6 PER SCHEDULE 1. IF 2X6
WILL NOT FIT, MAY USE 2X4.



PROFESSIONAL ENGINEER'S SEAL PROVIDED ONLY FOR
VERIFICATION OF WINDLOAD CONSTRUCTION DETAILS.

JOHN E. SCATES, PE
2560 KING ARTHUR BLVD #124-54
LEWISVILLE, TX 75056
FL PE 51737
TX PE 56308/F2203

	DATE	NAME
DRAWN	8/6/18	ESC
SHEET 2 OF 2	CHECKED	

JAMB CONNECTION SUPPLEMENT	DRAWING PART NO. 411526	REV. P01
----------------------------	----------------------------	-------------