

PDQ Manufacturing

'GT' & 'XGT' Series Cylindrical Lever Lock


'MR' Series Mortise Lock

'6200' Series Rim Exit Device

'6200' Series Rim Exit Device With Series 9200 Mullion

'6200' Series SVR Exit Device


(Component Approval)



OUTSWING SINGLE STEEL DOOR

UNDER SEPARATE APPROVAL


'GT' SERIES CYLINDRICAL LOCK
'XGT' SERIES LEVER LOCK



OUTSWING SINGLE STEEL DOOR

UNDER SEPARATE APPROVAL

'MR' SERIES MORTISE LOCK



OUTSWING SINGLE STEEL DOOR

UNDER SEPARATE APPROVAL

'6200' SERIES RIM EXIT DEVICE

LIMITATIONS:


1. LOCKING HARDWARE COMPONENT IS APPROVED TO BE USED AS EQUAL ALTERNATIVE IN SINGLE STEEL OUTSWING DOORS HOLDING CURRENT APPROVAL. LOWEST DESIGN PRESSURE RATING FROM DOOR OR LOCK COMPONENT APPROVAL WILL APPLY.
2. DOOR LEAF STILES AND RAILS TO BE MIN. 16 GA. (.053" MIN.) Fy MIN.=45.7 KSI STEEL OR BETTER.
DOOR FRAME JAMBS TO BE MIN. 16 GA. (.053" MIN.) Fy MIN.=45.7 KSI STEEL OR BETTER.
LEAF SIZES NOT TO EXCEED 35-3/4" WIDTH & 83-1/8" HEIGHTS OR FRAME SIZES SHOWN.
3. ELECTRICAL/ELECTRONIC FUNCTION AND INSTALLATION OTHER THAN SELF CONTAINED ELECTRONIC DEVICE IS NOT PART OF THIS APPROVAL, AND SUCH INSTALLATION MUST BE REVIEWED BY CORRESPONDING BUILDING AUTHORITY.
4. EGRESS COMPLIANCE TO BE REVIEWED BY BUILDING OFFICIAL.
5. PDQ LOCKING HARDWARE SHALL BE INSTALLED AS PER MANUF'S INSTALLATION INSTRUCTIONS.
6. DESIGN LOADS SHOWN ARE BASED ON 'ALLOWABLE STRESS DESIGN (ASD)'.

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE 2023 (8TH EDITION)/2026 (9TH EDITION) FLORIDA BUILDING CODE INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

FASTENERS AND CONNECTORS (AS APPLICABLE) SHOWN IN THIS APPROVAL MAY NOT MEET CORROSION RESISTANCE REQUIREMENTS FOR COASTAL OR SALT WATER EXPOSURE ZONES. COMPLIANCE WITH THESE CONDITIONS TO BE CHECKED PER FBC 1711.

Sealed: 9/22/2026

FL #21376



AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978
(C.A.N. 3538)

'GT', 'XGT', 'MR' & '6200' SERIES LOCKS
PDQ Manufacturing
2754 Creek Hill Road
Leola, PA. 17540
Phone: (717) 656-5338 Fax: (717) 656-6892

no	date	by	description
A	12.09.16		LOCK OPTIONS ADDED
B	01.08.18		UPDATED TO 2017 FBC
C	07.30.20		UPDATED TO 2020 FBC
D	10.04.23		UPDATED TO 2023 FBC
E	09.10.26		UPDATED TO 2026 FBC


date: 10-17-16
scale: -
dr. by: TARIQ
chk. by:

drawing no.
16-07


sheet 1 of 12

LOCKS\16-07PDQ


SEE DOOR CURRENT APPROVAL FOR DOOR CONSTRUCTION,
DESIGN LOAD RATING AND INSTALLATION DETAILS




SECTION A-A
'GT' SERIES CYLINDRICAL LOCK
'XGT' SERIES LEVER LOCK



SECTION B-B
'MR' SERIES MORTISE LOCK



SECTION C-C
'6200' SERIES RIM EXIT DEVICE



Sealed: 9/22/2026

FL #21376

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173 (C.A.N. 3538)
TEL. (305) 264-8100 FAX. (305) 262-6978

'GT', 'XGT', 'MR' & '6200' SERIES LOCKS

PDQ Manufacturing
2754 Creek Hill Road
Leola, PA. 17540
Phone: (717) 656-5338 Fax: (717) 656-6892


[illegible]

date: 10-17-16
scale: $3/8" = 1"$
dr. by: TARIQ
chk. by:

drawing no.

16-07


sheet 2 of 12



OUTSWING DOUBLE STEEL DOOR

UNDER SEPARATE APPROVAL


'6200' SERIES RIM EXIT DEVICE WITH SERIES 9200 MULLION



OUTSWING SINGLE STEEL DOOR

UNDER SEPARATE APPROVAL

'6200' SERIES SVR EXIT DEVICE



OUTSWING DOUBLE STEEL DOOR

UNDER SEPARATE APPROVAL

'6200' SERIES SVR EXIT DEVICE

Sealed: 9/22/2026

FL #21376



afc

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173 (C.A.N. 3538)
TEL. (305) 264-8100 FAX. (305) 262-6978

LOCKS\16-07PDQ

'GT', 'XGT', 'MR' & '6200' SERIES LOCKS

PDQ Manufacturing

2754 Creek Hill Road
Leola, PA. 17540

Phone: (717) 656-5338 Fax: (717) 656-6892

no.	date	by	description
A	12.09.16		LOCK OPTIONS ADDED


date:	10-17-16
scale:	-
dr. by:	TARIQ
chk. by:	

drawing no.


16-07

sheet 3 of 12


SEE DOOR CURRENT APPROVAL FOR DOOR CONSTRUCTION,
DESIGN LOAD RATING AND INSTALLATION DETAILS



SECTION D-D
'6200' SERIES RIM EXIT DEVICE WITH SERIES 9200 MULLION



SECTION E-E
'6200' SERIES SVR EXIT DEVICE



SECTION F-F
'6200' SERIES SVR EXIT DEVICE

Sealed: 9/22/2026

FL #21376



af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978




PDQ Manufacturing
2754 Creek Hill Road
Leola, PA. 17540
Phone: (717) 656-5338 Fax: (717) 656-6892

revisions:	
no	date by description

date: 10-17-16	scale: 3/8" = 1"	dr. by: TARIQ	chk. by:
----------------	------------------	---------------	----------

drawing no.	16-07
sheet	4 of 12

LOCKS\16-07PDQ




'GT' SERIES CYLINDRICAL LOCK
'XGT' SERIES LEVER LOCK

SINGLE DOORS

MAXIMUM DESIGN LOAD RATING = + 70.0 PSF
 (35-3/4" X 83-1/8" MAX. LEAF SIZE) - 70.0 PSF

Sealed: 9/22/2026

FL #21376



AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 9360 SUNSET DRIVE, SUITE 220
 MIAMI, FLORIDA 33173
 TEL. (305) 264-8100 FAX. (305) 262-6978

af c

LOCKS\16-07PDQ




'GT', 'XGT', 'MR' & '6200' SERIES LOCKS

PDQ Manufacturing
 2754 Creek Hill Road
 Leola, PA, 17540
 Phone: (717) 656-5338 Fax: (717) 656-6892

revisions:	
no	date by description

date: 10-17-16
 scale: -
 dr. by: TARIQ
 chk. by:

drawing no.
16-07
 sheet 5 of 12




'MR' SERIES MORTISE LOCK
SINGLE DOORS

MAXIMUM DESIGN LOAD RATING = + 80.0 PSF
(35-3/4" X 83-1/8" MAX. LEAF SIZE) - 80.0 PSF

Sealed: 9/22/2026

FL #21376




revisions:		date: 10-17-16		no date		by description	

date: 10-17-16
scale: -
dr. by: TARIQ
chk. by:

drawing no.
16-07
sheet 7 of 12

'GT', 'XGT', 'MR' & '6200' SERIES LOCKS
PDQ Manufacturing
2754 Creek Hill Road
Leola, PA. 17540
Phone: (717) 656-5338 Fax: (717) 656-6892

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978
a f c
LOCKS\16-07PDQ




'MR' SERIES MORTISE LOCK
SINGLE DOORS

MAXIMUM DESIGN LOAD RATING = + 80.0 PSF
(35-3/4" X 83-1/8" MAX. LEAF SIZE) - 80.0 PSF

Sealed: 9/22/2026

FL #21376



AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978

a f c

LOCKS\16-07PDQ

'GT', 'XGT', 'MR' & '6200' SERIES LOCKS

PDQ Manufacturing
2754 Creek Hill Road
Leola, PA. 17540
Phone: (717) 656-5338 Fax: (717) 656-6892

revisions:

no	date	by description

date: 10-17-16

scale: -




dr. by: TARIQ

chk. by:

drawing no.

16-07

sheet 8 of 12




'6200' SERIES RIM EXIT DEVICE
SINGLE DOORS

MAXIMUM DESIGN LOAD RATING = + 70.0 PSF
(35-3/4" X 83-1/8" MAX. LEAF SIZE) - 70.0 PSF

Sealed: 9/22/2026

FL #21376



revisions:		date		no		by		description	


date: 10-17-16
scale: -
dr. by: TARIQ
chk. by:

drawing no.
16-07
sheet 9 of 12

'GT', 'XGT', 'MR' & '6200' SERIES LOCKS
PDQ Manufacturing
2754 Creek Hill Road
Leola, PA. 17540
Phone: (717) 656-5338 Fax: (717) 656-6892

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978
(C.A.N. 3538)

afc
LOCKS\16-07PDQ




'6200' SERIES RIM EXIT DEVICE
SINGLE DOORS

MAXIMUM DESIGN LOAD RATING = + 70.0 PSF
(35-3/4" X 83-1/8" MAX. LEAF SIZE) - 70.0 PSF

Sealed: 9/22/2026

FL #21376



AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978

a f c
LOCKS \ 16-07PDQ

'GT', 'XGT', 'MR' & '6200' SERIES LOCKS



PDQ Manufacturing
2754 Creek Hill Road
Leola, PA. 17540
Phone: (717) 656-5338 Fax: (717) 656-6892

Revisions:	
no	by description

date: 10-17-16	scale: -	dr. by: TARIQ	chk. by:
----------------	----------	---------------	----------

drawing no. **16-07**

sheet 10 of 12



'6200' SERIES SVR EXIT DEVICE

Sealed: 9/22/2026

