



Feelsafe H3 2.0 Casement Transom
Composite 3-Wide Unit 120"x28"
119 1/2" X 27 1/2" Overall Frame Size
Nail Fin / Impact

TEST REPORT SUMMARY:
MULL OVERALL COMBINATION BASIC UNIT SIZE:
119 1/2" (3035mm) x 27 1/2" (699mm)

- OVERALL DESIGN PRESSURE: +50.13/-60.15 psf

- STRUCTURAL TEST PRESSURE: +60.15/-90.23 psf

- RATING: **CW-PG50**

CCL Listing# 436-H-660.79-.81

Element Test Report Number: **ESP024129P-2073.8**

Feelsafe H3 2.0 Casement Aluminum Clad/Wood Composite Transom
Integral Vinyl Nail Fin Installation / WDMA Instructions

PAGE 3 of 3

DRAWN BY: B.K.

**ELEVATION SHOWING
FASTENER LOCATION & SPACING
(TYP.)**

**WINDOW SIZE
- MULLED UNIT,**

OVERALL BASIC UNIT FRAME SIZE:
119 1/2" (3035mm) x 27 1/2" (699mm)

THE WINDOW UTILIZED ONE MASONRY CLIP AT THE HEAD AND SILL OF EACH MULL POST LOCATION FASTENED TO THE FRAME UTILIZING THE MULL POST FASTENER SCREWS AND TO THE BUCK WITH TWO #8 X 32MM (1-1/4") PPH SCREWS PER CLIP.

