



**8217 PUSH OUT CASEMENT
NAILING FIN INSTALLATION**



HEAD, SILL & SIDE ANCHORAGE TYPICAL



SECTION A-A
SCALE 1:2

Product I.D.	Description	Conf.	Wind Zone 3	HVHZ	Standard	Frame Size		Max DLO Opening		DP Rating (psf)	Frame Material	Installation		
						Width	Height	Width	Height			Nail Fin	Install Clip	Thru Jamb
8217	Push-out Casement	1W			X	41.5"	83.5"	35.8"	77.8"	+/-50	Wood, Vinyl, Alum.	X		

NOTE(S)

1. THESE UNITS HAVE BEEN TESTED, ANALYZED, HALLMARK CERTIFIED AND FBC APPROVED:

TOLERANCES UNLESS SPECIFIED:	
INCHES	ANGLE
x ± .1"	xx ± 1°
xx ± .03"	xx.x ± .5° (1/2°)
xxx ± .015"	xx.xx ± .25° (1/4°)

8217
PRODUCTS:

		TYP. WALL THICKNESS:		DRAWN BY: JLK/CJA	DATE: 9/18/2019	TITLE: NAIL FIN INSTALLATION INSTRUCTIONS
		WT/FT:		AREA:		DWG NO.: 45-2360
		MAT:		FINISH:		REV
REV	DATE	PCK NO.	ENG	PDR #:	TESTING & CERT	DESCRIPTION

DO NOT SCALE DRAWING