


SERIES TUSCANY – CONCRETE ROOF TILE APPROVAL DRAWINGS

FBC PRODUCT



NOTES:

1. THE PRODUCT ILLUSTRATED SATISFIES THE REQUIREMENTS FOR THE 2023 FLORIDA BUILDING CODE NOT INCLUDING HVHZ.
2. FOR NON-HVHZ, INSTALLATION SHALL COMPLY WITH THE MANUFACTURER'S CURRENT PUBLISHED INSTALLATION INSTRUCTIONS, BUT NOT LESS THAN THE REQUIREMENTS AS ESTABLISHED IN FBC SECTION 1507.3 AND THE FRSA/TRI 7TH ED. FOR MECHANICALLY FASTENED INSTALLATIONS.
3. FOR NON-HVHZ, INSTALLATION SHALL COMPLY WITH THE MANUFACTURER'S CURRENT PUBLISHED INSTALLATION INSTRUCTIONS, BUT NOT LESS THAN THE REQUIREMENTS AS ESTABLISHED IN FBC SECTION 1809.6.3 AND THE MORTAR OR ADHESIVE MANUFACTURER'S PRODUCT APPROVAL FOR MORTAR AND ADHESIVE INSTALLATIONS.

REVISIONS		MATERIAL		CROWN BUILDING PRODUCTS of FL, LLC 6018 SW HIGHWAY 72 ARCADIA, FL 34266		SCALE
		EST. AREA				NTS
		EST. WT.				DWG NO.
		EST. PERIM.		SERIES TUSCANY – CONCRETE ROOF TILE		102108D
		DRAWN BY		FBC INSTALLATION DRAWINGS		SHEET NO.
		DATE		GENERAL NOTES		1 OF 1
1	1ST REVISION 10/11/23	JMR	10/18/19			EXTRUSION NO.
						REV.