

CONTINENTAL GLASS SYSTEMS, INC.
SERIES 7700 FIX WINDOW SYSTEMS
LARGE MISSILE IMPACT (L.M.I.)
IMPACT LEVEL "D"

GENERAL NOTES:

- THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE 8TH EDITION OF FLORIDA BUILDING CODE (2023) INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

- FIX WINDOW RATED FOR LARGE MISSILE IMPACT, SYSTEM TESTED FOR IMPACT LEVEL "D".

- THESE WINDOWS ARE APPROVED FOR AIR AND WATER INFILTRATION.

- ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS. ANCHORS EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

- ANCHORING OR LOADING CONDITIONS NOT SHOWN IN THESE DETAILS ARE NOT PART OF THIS APPROVAL.

- MATERIALS INCLUDING BUT NOT LIMITED TO STEEL / METAL SCREWS THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE 8TH EDITION OF FLORIDA BUILDING CODE (2023) SECTION AS APPLICABLE.

- METAL STRUCTURAL AND / OR WOOD STRUCTURAL BY OTHERS TO BE DESIGNED TO SUPPORT THE LOADS IMPOSED BY THIS GLAZING SYSTEM AND TO TRANSFER SUCH LOADS TO THE BUILDING MAIN STRUCTURE.

- ULTIMATE LOAD OBTAINED FROM ASCE 7-22, MULTIPLY BY 0.6 SHALL BE LESS THAN OR EQUAL TO MAX. DESIGN LOAD IN THIS DOCUMENT. THE DESIGN LOADS SHOWN IN THIS DOCUMENT ARE ALLOWABLE DESIGN LOADS.

- MANUFACTURER'S LABEL SHALL BE LOCATED ON A READILY VISIBLE LOCATION IN ACCORDANCE WITH SECTION 1709.9.3 OF FLORIDA BUILDING CODE LABELING TO COMPLY WITH SECTION 1709.9.2.

INSTRUCTIONS:

USE CHARTS AS FOLLOWS.

STEP 1: DETERMINE DESIGN WIND LOAD REQUIREMENTS BASED ON WIND VELOCITY, BLDG. HEIGHT, WIND ZONE USING APPLICABLE ASCE 7-22 STANDARD.

STEP 2: SEE SHEET E1 & E2 FOR APPROVED PROJECTED OUT WINDOW SIZE AND DESIGN LOAD.

STEP 3: SEE SHEETS D1 & D2 & D3 FOR APPROVED ANCHOR TYPE USED TO COVER APPROVED CONDITION.

STEP 4: JOB CONDITION TO NOT EXCEED APPROVED LOAD AS ABOVE.

TYPICAL ANCHORS SEE ELEV. FOR SPACING

TYPE 'A'- 1/4" DIA. ULTRACON+ BY 'DEWALT' (Fu = 164 KSI, Fy = 148 KSI)
 INTO 2BY WOOD BUCKS OR WOOD STRUCTURES
 1 - 1/2" MIN. PENETRATION INTO WOOD
 THRU 1 BY WOOD BUCKS INTO CONCRETE OR MASONRY

OR DIRECTLY INTO CONCRETE
1-3/4" MIN. EMBED INTO CONCRETE

OR DIRECTLY INTO MASONRY (JAMB ONLY)
1-1/4" MIN. EMBED INTO HOLLOW BLOCK
1-3/4" MIN. EMBED INTO GROUT FILLED BLOCK

TYPE 'B'- #14 SMS OR TEKS-SELF DRILLING SCREWS (GRADE 2 CRS)
 INTO FLORIDA APPROVED MULLIONS (1/8" THK. MIN.)
 INTO METAL STRUCTURES
 STEEL : 1/8" THK. MIN. (Fy = 36 KSI MIN.)
 ALUMINUM : 1/8" THK. MIN. (6063-T5 MIN.)
 (STEEL IN CONTACT WITH ALUMINUM
 TO BE PLATED OR PAINTED)


TYPICAL EDGE DISTANCE

INTO CONCRETE AND MASONRY = 2-1/2" MIN.
 INTO WOOD STRUCTURE = 1" MIN.
 INTO METAL STRUCTURE = 3/4" MIN.

CONCRETE AT HEAD, SILL OR JAMBS $f'_c = 3000$ PSI MIN.
C-90 HOLLOW/FILLED BLOCK AT JAMBS $f'_m = 2000$ PSI MIN.
WOOD SG= 0.55

ABBREVIATIONS AND SYMBOLS

D.L.O. - DAYLITE OPENING
F.H. - FRAME HEIGHT
F.W. - FRAME WIDTH
W/ - WITH
W/O - WITHOUT
O.C. - ON CENTER




LIMITATIONS OF USE

- A- THIS PRODUCT EVALUATION DOCUMENT (P.E.D.) PREPARED BY THIS ENGINEER IS GENERIC AND DOES NOT PROVIDE INFORMATION FOR A SITE SPECIFIC PROJECT; I.E. WHERE THE SITE CONDITIONS DEVIATE FROM THE P.E.D.
- B- CONTRACTOR TO BE RESPONSIBLE FOR THE SELECTION, PURCHASE AND INSTALLATION OF THIS PRODUCT BASED ON THE PRODUCT EVALUATION PROVIDED HE/SHE DOES NOT DEVIATE FROM THE CONDITIONS DETAILED ON THIS DOCUMENT.
- C- THIS PRODUCT EVALUATION DOCUMENT WILL BE CONSIDERED INVALID IF ALTERED BY ANY MEANS.
- D- SITE SPECIFIC PROJECTS SHALL BE PREPARED BY A FLORIDA REGISTERED ENGINEER OR ARCHITECT WHICH WILL BECOME THE ENGINEER OF RECORD (E.O.R.) FOR THE PROJECT AND WHO WILL BE RESPONSIBLE FOR THE PROPER USE OF THE P.E.D.
- E- THIS P.E.D. SHALL BEAR THE DATE AND ORIGINAL SEAL AND SIGNATURE OF THE PROFESSIONAL ENGINEER OF RECORD THAT PREPARED IT.

FLORIDA APPROVAL:

FL #32155.2



SERIES 7700 FIX WINDOW SYSTEMS (L.M.I.)

325 WEST 74TH PLACE HIALEAH, FL. 33014
TEL. (305) 231-1101 FAX. (305) 231-1103

MCY ENGINEERING, INC.
GLAZING CONSULTANTS


GLAZING CONSULTANTS

12781 MIRAMAR PARKWAY #301 P: 305.588.5224

F: 305.271.0117


www.MCYEngineering.com
mcy@mcysengineering.com

GLASS-STRUCTURAL GLAZING




GLASS TYPE 'G1'
1/2" OVERALL LAMINATED GLASS

NOTE:
GLASS COMPLIES WITH ASTM
E1300-16 (3 SEC. GUSTS).




GLASS TYPE 'G2'(RABBIT GLASS OPTION)
1-5/32" OVERALL INSULATED LAMINATED RABBIT GLASS

GLASS-POCKET GLAZED



GLASS TYPE 'G1'
1/2" OVERALL LAMINATED GLASS

NOTE:
GLASS COMPLIES WITH ASTM
E1300-16 (3 SEC. GUSTS).



GLASS TYPE 'G2'
1-5/32" OVERALL INSULATED LAMINATED GLASS

FLORIDA APPROVAL:
FL #32155.2

YIPING WANG
P.E.
FLORIDA REGISTRATION
#55983
C.A.#128877

December 11th, 2023

STATE OF
FLORIDA
PROFESSIONAL ENGINEER

Drawn Date	Scale
05/28/2020	

Rev.	Date	Drawn By	Description
R2	12.11.2023	James	UPDATE TO FEB 2023

MCY ENGINEERING, INC.
GLAZING CONSULTANTS

M

C

Y

12781 MIRAMAR PARKWAY #301 P: 305.588.5224
MIRAMAR, FL 33027 F: 305.271.0117
www.MCYEngineering.com mcy@mcyengineering.com




SERIES 7700 FIX WINDOW SYSTEMS (L.M.I.)
CONTINENTAL GLASS SYSTEMS INC.
325 WEST 74TH PLACE HIALEAH, FL. 33014
TEL. (305) 231-1101 FAX. (305) 231-1103

Drawn Date	Scale
05/28/2020	

Rev.	Date	Drawn By	Description
R2	12.11.2023	James	UPDATE TO FEB 2023


DRAWING NO.	SHEET NO.
AD20-12	02 OF 13

G1



DESIGN LOADS
(FOR SIZE SHOWN ABOVE OR SMALLER AS PERMITTED BY FBC)
+85 PSF -85 PSF

FLORIDA APPROVAL:
FL #32155.2





SERIES 7700 FIX WINDOW SYSTEMS (L.M.I.)
CONTINENTAL GLASS SYSTEMS INC.


MCY ENGINEERING, INC.
GLAZING CONSULTANTS
12781 MIRAMAR PARKWAY #301 P: 305.588.52
MIRAMAR, FL 33027 F: 305.271.01
www.MCYEngineering.com mcy@mcyengineering.com

IES 7700 FIX WINDOW SYSTEMS (L.M.I.)		MCY ENGINEERING, INC. GLAZING CONSULTANTS 12781 MIRAMAR PARKWAY #301 P: 305.588.52 MIRAMAR, FL 33027 F: 305.271.01
TINTINAL GLASS SYSTEMS INC. 325 WEST 74TH PLACE HIALEAH, FL. 33014 TEL. (305) 231-1101 FAX. (305) 231-1103		

[illegible]



FLORIDA APPROVAL:
FL #32155.2





MCY ENGINEERING, INC.
GLAZING CONSULTANTS
12781 MIRAMAR PARKWAY #301 P: 305.588.52
MIRAMAR, FL 33027 F: 305.271.01
www.MCYEngineering.com mcy@mcyengineering.com

SERIES 7700 FIX WINDOW SYSTEMS (L.M.I.)


CONTINENTAL GLASS SYSTEMS INC.

325 WEST 74TH PLACE HIALEAH, FL. 33014
TEL. (305) 231-1101 FAX. (305) 231-1103



[illegible]



FLORIDA APPROVAL:
FL #32155.2




Rev. No.	Date	Drawn By	Description
R2	12.11.2023	James	UPDATE TO FEB 2023
Drawn Date	05/28/2020	Scale	
DRAWING NO.			
AD20-12			
E3			
Sheet No.			
05 OF 13			





NOTE: THE SUBSTRATES IN THIS SHEET CAN INTERCHANGE TO MEET DIFFERENT CONDITION



FLORIDA APPROVAL:
FL #32155.2



Rev. No.	Date	Drawn By	Description
R2	12.11.2023	James	UPDATE TO FBC 2023
Drawn Date	05/28/2020	Scale	
DRAWING NO. AD20-12			
Sheet No. 06 OF 13			




POCKET GLAZED OPTION





POCKET GLAZED OPTION

NOTE:THE SUBSTRATES IN THIS SHEET CAN INTERCHANGE TO MEET DIFFERENT CONDITION


FLORIDA APPROVAL:
FL #32155.2





Rev. No.	Date	Drawn By	Description
R2	12.11.2023	James	UPDATE TO FBC 2023
Drawn Date 05/28/2020 Scale			
DRAWING NO. AD20-12			
D2			
Sheet No. 07 OF 13			




GLAZING OPTION
1-1/8" INS. LAM. GLASS



GLAZING OPTION
1-1/8" INS. LAM. GLASS




GLAZING OPTION
1-1/8" INS. LAM. GLASS




GLAZING OPTION
1-1/8" INS. LAM. GLASS

NOTE: THE SUBSTRATES IN THIS SHEET CAN INTERCHANGE TO MEET DIFFERENT CONDITION




E
D3
OPTION



F
D3
OPTION

POCKET GLAZED OPTION

FLORIDA APPROVAL:
FL #32155.2



MCY ENGINEERING, INC.
GLAZING CONSULTANTS

12781 MIRAMAR PARKWAY #301 P: 305.588.5224
MIRAMAR, FL 33027 F: 305.271.0117
www.MCYEngineering.com mcy@mcyengineering.com

SERIES 7700 FIX WINDOW SYSTEMS (L.M.I.)

CONTINENTAL GLASS SYSTEMS INC.

325 WEST 74TH PLACE HIALEAH, FL. 33014
TEL. (305) 231-1101 FAX. (305) 231-1103

Rev.	Date	Drawn By	Description
R2	12.11.2023	James	UPDATE TO FBC 2023





Drawn Date
05/28/2020

Scale


DRAWING NO.
AD20-12

D3

Sheet No.
08 OF 13



FLORIDA APPROVAL:
FL #32155.2



MCY ENGINEERING, INC.
GLAZING CONSULTANTS



 12781 MIRAMAR PARKWAY #301 P: 305.588.5224
 MIRAMAR, FL 33027 F: 305.271.0117
 www.MCYEngineering.com mcy@mcyengineering.com

SERIES 7700 FIX WINDOW SYSTEMS (L.M.I.)


CONTINENTAL GLASS SYSTEMS INC.

325 WEST 74TH PLACE HIALEAH, FL. 33014
TEL. (305) 231-1101 FAX. (305) 231-1103


[illegible]




H
D5
DETAIL



GLAZING OPTION
1-1/8" INS. LAM. GLASS




GLAZING OPTION
1-1/8" INS. LAM. GLASS




H
D5
OPTION

POCKET GLAZED OPTION




J
D5
DETAIL




GLAZING OPTION
1-1/8" INS. LAM. GLASS

GLAZING OPTION
1-1/8" INS. LAM. GLASS




J
D5
OPTION


FLORIDA APPROVAL:
FL #32155.2




Rev. No.	Date	Drawn By	Description
R2	12.11.2023	James	UPDATE TO FBC 2023
Drawn Date	05/28/2020	Scale	
DRAWING NO. AD20-12			
D5			
Sheet No. 10 OF 13			




1 FRAME PROFILE
(LR-440-01) ALUMINUM 6063-T6




2 FRAME PROFILE
(LR-440-13) ALUMINUM 6063-T6




3 TRANSOM PROFILE
(LR-440-05) ALUMINUM 6063-T6




4 FIX SASH PROFILE
(LR-440-06) ALUMINUM 6063-T6




5 FIX SASH PROFILE
(LR-440-11) ALUMINUM 6063-T6




6 COVER PROFILE
(LR-440-04) ALUMINUM 6063-T6




7 GLAZING BEAD PROFILE
(LR-440-10) ALUMINUM 6063-T6




8 INTERIOR GLAZING BEAD PROFILE
(LR-440-03) ALUMINUM 6063-T6




9 COVER PROFILE
(LR-440-07) ALUMINUM 6063-T6



10 COVER PROFILE
(LR-440-12) ALUMINUM 6063-T6




11 REINFORCING
(LR-440-16) ALUMINUM 6063-T6



12 GLAZING BEAD PROFILE
(5000-08) ALUMINUM 6063-T6

FLORIDA APPROVAL:
FL #32155.2



MCY ENGINEERING, INC.
GLAZING CONSULTANTS
12781 MIRAMAR PARKWAY #301 P: 305.588.5224
MIRAMAR, FL 33027 F: 305.271.0117
www.MCYEngineering.com mcy@mcyengineering.com

SERIES 7700 FIX WINDOW SYSTEMS (L.M.I.)
CONTINENTAL GLASS SYSTEMS INC.
325 WEST 74TH PLACE HIALEAH, FL. 33014
TEL. (305) 231-1101 FAX. (305) 231-1103

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----


ITEM	PART	DESCRIPTION	MATERIAL	REMARKS
1	LR-440-01	FRAME PROFILE	6063-T6	LINEA ROSSA
2	LR-440-13	FRAME PROFILE	6063-T6	LINEA ROSSA
3	LR-440-05	TRANSOM PROFILE	6063-T6	LINEA ROSSA
4	LR-440-06	FIX SASH PROFILE	6063-T6	LINEA ROSSA
5	LR-440-11	FIX SASH PROFILE	6063-T6	LINEA ROSSA
6	LR-440-04	COVER PROFILE	6063-T6	LINEA ROSSA
7	LR-440-10	GLAZING BEAD PROFILE	6063-T6	LINEA ROSSA
8	LR-440-03	INTERIOR GLAZING BEAD PROFILE	6063-T6	LINEA ROSSA
9	LR-440-07	COVER PROFILE	6063-T6	LINEA ROSSA
10	LR-440-12	COVER PROFILE	6063-T6	LINEA ROSSA
11	LR-440-16	REINFORCING	6063-T6	LINEA ROSSA
12	5000-08	INTERIOR GLAZING BEAD PROFILE	6063-T6	LINEA ROSSA
13	B3119511	CORNER CLEAT 19.6X511.1mm	6063-T6	LINEA ROSSA
14	B3108170	CORNER CLEAT 8.6X17mm	6063-T6	LINEA ROSSA
15	B3111337	CORNER CLEAT 10.5X33.7mm	6063-T6	LINEA ROSSA
16	B3111397	CORNER CLEAT 10.5X39.7mm	6063-T6	LINEA ROSSA
17	B4110019	SASH GASKET	EPDM,DUROMETER 70 +/-5 SHORE-A	LINEA ROSSA
18	B4310002	CENTRAL GASKET	EPDM,DUROMETER 70 +/-5 SHORE-A	LINEA ROSSA
19	B4510053	FRAME GASKET	EPDM,DUROMETER 70 +/-5 SHORE-A	LINEA ROSSA
20	B4510091	INTERIOR GLAZING GASKET	EPDM,DUROMETER 70 +/-5 SHORE-A	LINEA ROSSA
21	B4410009	INTERIOR GLAZING GASKET	EPDM,DUROMETER 70 +/-5 SHORE-A	LINEA ROSSA
22	B4510092	EXTERIOR GLAZING GASKET	EPDM,DUROMETER 70 +/-5 SHORE-A	LINEA ROSSA
23	B4510093	EXTERIOR GLAZING GASKET	EPDM,DUROMETER 70 +/-5 SHORE-A	LINEA ROSSA
24	-	SETTING BLOCK 4" LG. AT 1/4" POINT DUROMETER 85 +/-5 SHORE-A	EPDM	-

SERIES 7700 FIX WINDOW SYSTEMS (L.M.I.)


CONTINENTAL GLASS SYSTEMS INC.

325 WEST 74TH PLACE HIALEAH, FL. 33014
TEL. (305) 231-1101 FAX. (305) 231-1103


[illegible]



FRAME PROFILE CORNER




FIX SASH PROFILE CORNER



FIX SASH PROFILE CORNER

FLORIDA APPROVAL:
FL #32155.2



--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--