


PARAGON NATURA SLATE
COMPOSITE ROOF SHINGLE

OVER 1/2" PLYWOOD

MAX. DESIGN PRESSURE = -78.5 psf



1/8" x 1 3/4" CORROSION RESISTANT
RING SHANK ROOFING NAIL, (2) PER
STARTER SHINGLE.


EAVE STARTER (SEALED TO DRIP
EDGE WITH URETHANE SEALANT)

1/2" CDX PLYWOOD
(MIN)


DRIP EDGE

(4) 1/8" x 1 3/4" CORROSION RESISTANT RING
SHANK ROOFING NAILS IN DESIGNATED NAIL
LOCATIONS, AND (1) IN LEFT TAB ON SIDE
OF SHINGLE.

SIDE VIEW



EAVE STARTER



NATURA SLATE COMPOSITE SHINGLE


10/19/20	DATE
1ST SUBMITTAL	PRINTS ISSUED FOR REV.#



SCOTT WALTERS
FL PE# 62354
WALTERS ENGINEERING
(COA# 27194)
15211 97TH ROAD N
WEST PALM BEACH, FL 33412
(561) 225-1982

PARAGON ROOF SYSTEMS

13903 HUFFMEISTER ROAD
CYPRESS, TX 77429
PH: (920) 428-6472
PH: (877) 295-7056
www.paragonroofsystems.com



DWG: PARNASLT
SHEET: 1/1