

Installation Instructions	
Project No.: ACE-2026-135	Report No.: ACE-INST-1218, Rev. 0

Product Manufacturer: CertainTeed Gypsum Inc., 20 Moores Rd., Malvern, PA 19355

Product Name, Model and/or Description: 1/2" and 5/8" GlasRoc Sheathing

Code: Current Edition of the Florida Building Code including the 9th Edition (2026) Florida Building Code

Compliance Methods: Product Approval Rule 61G20-3.005(4)(e) – Evaluation Report and Test Report Documentation

Product Category: Panel Walls

Product Sub-Category: Siding

Installation and Application of Gypsum Sheathing:

- See Gypsum Association, GA-253-2024 Application of Gypsum Sheathing, Copyright© Gypsum Association 2024, www.gypsum.org for general installation instructions.
- Fasteners used for installation including those based on the recommendations of Gypsum Association, GA-253-2024 shall be corrosion resistant, and/or have a corrosion resistant coating, or when exposed to saltwater environments within 3,000 feet of a saltwater coastline meet the requirements of Section 1711, 9th Edition (2026) FBC and Section R332, 9th Edition (2026) FRC when applicable.

**Certificate of Independence per
Product Approval Rule 61G20-3.009**

Robert J. Amoruso, P.E., does not have, nor will he acquire, any financial interest in the company manufacturing or distributing product(s) covered by this Product Evaluation Report.

Robert J. Amoruso, P.E., does not have, nor will he acquire any financial interest in any other entity involved in the approval process or testing of the product(s) covered by this Product Evaluation Report.



Digitally
signed by
Robert J
Amoruso
Date:
2026.08.10
11:24:06 -04'00'

Evaluated by:
Robert J. Amoruso, P.E.
FL PE License No. 49752