



NORTHSTAR EXTERIOR WALL PANEL SYSTEM

A FIBER REINFORCED POLYMER EXTERIOR WALL PANEL WITH A 1/4" THICK
FIBER REINFORCED POLYMER BALLISTIC ARMOR PLATE SHEATHING BONDED
TO A 6" FIBER REINFORCED POLYMER FRAME ASSEMBLY

DESIGN PRESSURE: +90 / -85 PSF
MISSILE IMPACT: LEVEL D
DEFLECTION LIMIT: L/120



NORTHSTAR TECHNOLOGIES GROUP INC
365 FIFTH AVE S.
NAPLES, FLORIDA 34102
239.850.6253

PINGLESE@NORTHSTARTGI.COM

NORTHSTARTGI.COM

The information contained in this document is proprietary, confidential, privileged and only for the use of the intended recipients. No part of this document may be used, published, or redistributed in any manner without the prior written consent of Northstar Technologies Group Inc. All trademarks, service marks, trade names, product names, and logos appearing in this document are the property of Northstar Technologies Group Inc. (Patent Pending)

ENGINEER

Scott Wolters
FL PE# 62354

Wolters Engineering
(COA# 27194)
15211 97th Road N.
West Palm Beach, FL 33412
561.225.1982

JOB NUMBER: 20201214

DATE: 12.14.2020

DRAWN BY: P Ingles

REVISIONS

NO.	DATE	DRWN	CHKD
1	12.14.20	PI	PI
2	10.18.24		

**COVER
PAGE**


NORTHSTAR EXTERIOR WALL PANEL SYSTEM

GENERAL NOTES:

- 1. THIS SYSTEM MEETS ALL OF THE REQUIREMENTS OF THE 8TH EDITION (2023) FLORIDA BUILDING CODE, INCLUDING THE HVHZ PROVISIONS.
- 2. THIS SYSTEM HAS BEEN TESTED PER TAS 201, 202, & 203, AND IS LARGE AND SMALL MISSILE IMPACT RESISTANT. SHUTTERS ARE NOT REQUIRED.
- 3. THIS SYSTEM HAS BEEN DESIGNED AND TESTED AS A WALL CLADDING SYSTEM ONLY. IF USED IN A LOAD BEARING APPLICATION THE ENGINEER MUST ADD ADDITIONAL FIBER REINFORCED POLYMER FRAMING COMPONENTS TO DESIGN THE MAIN WIND FORCE RESISTING SYSTEM.
- 4. THIS SYSTEM HAS BEEN TESTED PER ASTM E84 & E2768, AND MEETS THE REQUIREMENTS OF FBC SECTIONS 2613.5 AND 2603.5.4. FIRE RATINGS OR FIRE RESISTANCE IS NOT A PART OF THIS REVIEW.
- 5. ALL ANCHORS SECURING THE SYSTEM TO PRESSURE TREATED WOOD SHALL BE CAPABLE OF RESISTING CORROSION CAUSED BY THE CHEMICALS IN THE WOOD.
- 6. MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL BE PROTECTED PER FBC REQUIREMENTS.
- 7. NO INCREASE IN ALLOWABLE STRESS HAS BEEN USED IN THE DESIGN OF THIS PRODUCT. Cd=1.6 WAS USED FOR WOOD SCREWS ONLY.

MANUFACTURING NOTES:

- 1. INTERMEDIATE VERTICAL STUDS ARE INSTALLED 24" O.C, ALTERNATING BETWEEN SINGLE AND DOUBLE STUDS, EXCEPT DOUBLE STUDS ARE USED AT CENTER OF DOOR OR WINDOW OPENINGS GREATER THAN 24" WIDE. THE STUDS ARE NOTCHED AT EACH END TO FIT INTO THE HEAD/SILL TRACKS, WHICH ARE CONTINUOUS.
- 2. INTERMEDIATE HORIZONTAL STUDS ARE INSTALLED 48" MAX. O.C, AND ARE NOTCHED TO FIT INTO THE VERTICAL STUDS WHERE REQUIRED.
- 3. AN 1/8" BEAD OF 3M SCOTCH-WELD MULTI-MATERIAL COMPOSITE URETHANE EPOXY IS APPLIED TO ALL THE VERTICAL AND HORIZONTAL STUDS TO BOND WITH THE STRONGWELL HS ARMOR FIBERGLASS PANELS AND APPLIED TO ALL VERTICAL AND HORIZONTAL JOINTS AND SCREW HEADS AS A SEALANT.



DESIGN PRESSURE

+75 / -85 psf (HVHZ)
+90 / -85 psf (Non-HVHZ)



NORTHSTAR TECHNOLOGIES GROUP INC
365 FIFTH AVE S.
NAPLES, FLORIDA 34102
239.850.6253

PINGLESE@NORTHSTARTGI.COM

NORTHSTARTGI.COM

The information contained in this document is proprietary, confidential, privileged and only for the use of the intended recipients. No part of this document may be used, published, or redistributed in any manner without the prior written consent of Northstar Technologies Group Inc. All trademarks, service marks, trade names, product names, and logos appearing in this document are the property of Northstar Technologies Group Inc. (Patent Pending)

ENGINEER

Scott Walters
FL # 62354

Walters Engineering
(COA# 27194)
15214 97th Road N
West Palm Beach, FL 33412
561.225.1982

STATE OF FLORIDA
PROFESSIONAL ENGINEER

JOB NUMBER: 20201214

DATE: 12.14.2020


DRAWN BY: P Inglese

REVISIONS


NO.	DATE	DRWN	CHKD
1	12.14.20	PI	PI
2	10.18.24		

NORTHSTAR EXTERIOR WALL PANEL SYSTEM


BILL OF MATERIALS			
PART #	DESCRIPTION	MANUFACTURER	NOTES
1	6" X 1-5/8" FIBERGLASS CHANNEL	STRONGWELL	EXTREN 500 OR 525 PE POLYESTER RESIN
2	2" X 2" X 5-1/2" FIBERGLASS ANGLE	STRONGWELL	EXTREN 500 OR 525 PE POLYESTER RESIN
3	#14 X 1-1/2" SS FH TEK SCREW	ITW BUILDEX	FRONT AND BACK OF STUD AT HEAD / SILL
4	#14 X 1-1/2" SS FH TEK SCREW	ITW BUILDEX	1-1/4" FROM END OF STUDS AND 12" MAX O.C.
5	#14 X 1-1/2" SS FH TEK SCREW	ITW BUILDEX	(4) FASTENERS PER CLIP ANGLE
6	1/4" BALLISTIC ARMOR PLATE SHEATHING	STRONGWELL	BONDED TO FRAMING WITH 3M SCOTCH-WELD EPOXY
7	PERIMETER SEALANT AND BACKER ROD	PER ARCHITECTS SPECIFICATION	SUPPLIED BY OTHERS



1



2



3

4


5



NORTHSTAR TECHNOLOGIES GROUP INC
365 FIFTH AVE S.
NAPLES, FLORIDA 34102
239.850.6253

PINGLESE@NORTHSTARTGI.COM
NORTHSTARTGI.COM

The information contained in this document is proprietary, confidential, privileged and only for the use of the intended recipients. No part of this document may be used, published, or redistributed in any manner without the prior written consent of Northstar Technologies Group Inc. All trademarks, service marks, trade names, product names, and logos appearing in this document are the property of Northstar Technologies Group Inc. (Patent Pending)





JOB NUMBER: 20201214

DATE: 12.14.2020

DRAWN BY: P Inglese

REVISIONS			
NO.	DATE	DRWN	CHKD
1	09.23.20	PI	PI

NORTHSTAR EXTERIOR WALL PANEL SYSTEM



NORTHSTAR
TECHNOLOGIES

NORTHSTAR TECHNOLOGIES GROUP INC
365 FIFTH AVE S.
NAPLES, FLORIDA 34102
239.850.6253

PINGLESE@NORTHSTARTGI.COM
NORTHSTARTGI.COM

The information contained in this document is proprietary, confidential, privileged and only for the use of the intended recipients. No part of this document may be used, published, or redistributed in any manner without the prior written consent of Northstar Technologies Group Inc. All trademarks, service marks, trade names, product names, and logos appearing in this document are the property of Northstar Technologies Group Inc. (Patent Pending)

ENGINEER
Scott Wolters
FL PE# 62354
No 62354

Wolters Engineering
(COA# 27094)
15211 97th Road N.
West Palm Beach, FL 33412
561.225.1982


STATE OF FLORIDA
PROFESSIONAL ENGINEER
OCT 18 2024

JOB NUMBER: 20201214
DATE: 12.14.2020
DRAWN BY: P Ingles


REVISIONS

NO.	DATE	DRWN	CHKD
1	12.14.20	PI	PI


NORTHSTAR EXTERIOR WALL PANEL SYSTEM



5
4



6
4



7
4




NORTHSTAR TECHNOLOGIES GROUP INC
365 FIFTH AVE S.
NAPLES, FLORIDA 34102
239.850.6253

PINGLESE@NORTHSTARTGI.COM

NORTHSTARTGI.COM

The information contained in this document is proprietary, confidential, privileged and only for the use of the intended recipients. No part of this document may be used, published, or redistributed in any manner without the prior written consent of Northstar Technologies Group Inc. All trademarks, service marks, trade names, product names, and logos appearing in this document are the property of Northstar Technologies Group Inc. (Patent Pending)



JOB NUMBER: 20201214

DATE: 12.14.2020

DRAWN BY: P Inglese

REVISIONS

NO.	DATE	DRWN	CHKD
1	12.14.20	PI	PI

NORTHSTAR EXTERIOR WALL PANEL SYSTEM




NORTHSTAR TECHNOLOGIES GROUP INC
365 FIFTH AVE S.
NAPLES, FLORIDA 34102
239.850.6253

PINGLESE@NORTHSTARTGI.COM

NORTHSTARTGI.COM

The information contained in this document is proprietary, confidential, privileged and only for the use of the intended recipients. No part of this document may be used, published, or redistributed in any manner without the prior written consent of Northstar Technologies Group Inc. All trademarks, service marks, trade names, product names, and logos appearing in this document are the property of Northstar Technologies Group Inc. (Patent Pending)




JOB NUMBER: 20201214

DATE: 12.14.2020


DRAWN BY: P Inglese

REVISIONS


NO.	DATE	DRWN	CHKD
1	12.14.20	PI	PI



8
5




9
5




10
5

NORTHSTAR EXTERIOR WALL PANEL SYSTEM

11
6



12
6



14
6



NORTHSTAR TECHNOLOGIES GROUP INC
365 FIFTH AVE S.
NAPLES, FLORIDA 34102
239.850.6253

PINGLESE@NORTHSTARTGI.COM

NORTHSTARTGI.COM

The information contained in this document is proprietary, confidential, privileged and only for the use of the intended recipients. No part of this document may be used, published, or redistributed in any manner without the prior written consent of Northstar Technologies Group Inc. All trademarks, service marks, trade names, product names, and logos appearing in this document are the property of Northstar Technologies Group Inc. (Patent Pending)

ENGINEER
Scott Wolters
FL PE# 62354

Wolters Engineering
(COA# 27484)
15211 97th Road N.
West Palm Beach, FL 33412
561.225.1982

JOB NUMBER: 200201214


DATE: 12.14.2020

DRAWN BY: P Inglese


REVISIONS

NO.	DATE	DRWN	CHKD
1	12.14.20	PI	PI

NORTHSTAR EXTERIOR WALL PANEL SYSTEM




STEEL WITH OPTIONAL WOOD BUCK




CONCRETE WITH OPTIONAL WOOD BUCK

HEAD/SILL ANCHOR REQUIREMENTS			
SUBSTRATE TYPE	ANCHOR TYPE	MINIMUM EMBEDMENT	MINIMUM EDGE DISTANCE
CONCRETE (2.85 ksi MIN)	5/16" DIA. DEWALT ULTRACON	1 3/4"	1 3/4"
2X P.T. WOOD (S.G.=0.5, MIN)	5/16" DIA. DEWALT ULTRACON	1 1/2"	1"
STEEL (1/8", 46 ksi MIN)	5/16" DIA. ITW TEKS SELF-DRILLING SCREW	FULL**	1/2"


** FULLY PENETRATES METAL WITH 3 THREADS BEYOND



DIRECTLY TO STEEL
(1/8", 46 ksi MIN)



DIRECTLY TO CONCRETE
(2846 psi MIN)



DIRECTLY TO WOOD
(2X, S.G. = 0.5 MIN)




NORTHSTAR TECHNOLOGIES GROUP INC
365 FIFTH AVE S.
NAPLES, FLORIDA 34102
239.850.6253

PINGLESE@NORTHSTARTGI.COM

NORTHSTARTGI.COM

The information contained in this document is proprietary, confidential, privileged and only for the use of the intended recipients. No part of this document may be used, published, or redistributed in any manner without the prior written consent of Northstar Technologies Group Inc. All trademarks, service marks, trade names, product names, and logos appearing in this document are the property of Northstar Technologies Group Inc. (Patent Pending)



JOB NUMBER: 20201214

DATE: 12.14.2020

DRAWN BY: P Inglese

REVISIONS

NO.	DATE	DRWN	CHKD
1	12.14.20	PI	PI