



Vinyl Casement Picture
59 1/2"x71 1/2" Frame Size
Thru-Frame Installation / Non-Impact

TEST REPORT SUMMARY:

OVERALL BASIC UNIT SIZE:

59 1/2"(1511mm)x71 1/2"(1816mm)

- OVERALL DESIGN PRESSURE: **±45.1 psf**

- STRUCTURAL TEST PRESSURE: **±67.6 psf**

- RATING: **CW-PG45**

CCL Listing# 436-H-001.12-.13

Quast Consulting & Testing #: **QCT20-6051.12**

Vinyl Casement Picture
Thru-Frame Installation / WDMA Instructions

PAGE 1 of 2



UPDATED 02/25/2021

DRAWN BY: B.K.

INSTALLATION NOTES:

1. USE 2" x _ WOOD BUCK
2. 1/4" MAXIMUM SHIM SPACE AT HEAD, SILL, JAMBS. PLACE WOOD SHIMS 6-10".
3. INSTALLED USING #8 X 2" PPH SCREWS SPACED 6" FROM CORNERS AND 15" ON CENTER AT THE HEAD, SILL, & JAMBS.
4. APPLY BACKER ROD WITH A CONTINUOUS BEAD OF SEALANT BETWEEN THE FRAME AND ROUGH OPENING, ON ALL FOUR SIDES.
5. 1" MINIMUM FASTENER EMBEDMENT INTO FRAMING MATERIAL.
6. WINDOW SIZE: OVERALL FRAME SIZE **59 1/2"(1511mm)X71 1/2"(1816mm)**

- Check rough opening for proper size, plumb, level and square.
- Make all necessary adjustments to ensure rough opening is plumb, level & square.
- Sill must be flat, level and capable of supporting the weight of the unit.
- Opening should allow a maximum of 1/4" shim space at head, sill and jambs.
- Consult full installation instructions found on the Sierra Pacific web site, www.sierrapacificwindows.com / Professionals / Design Resource, for all recommended installation procedures.
- Wood buck, framing, fasteners, sealant and all wall system materials are provided by others.





Vinyl Casement Picture
59 1/2"x71 1/2" Frame Size
Thru-Frame Installation / Non-Impact

TEST REPORT SUMMARY:

OVERALL BASIC UNIT SIZE:

59 1/2"(1511mm)x71 1/2"(1816mm)

- OVERALL DESIGN PRESSURE: ± 45.1 psf

- STRUCTURAL TEST PRESSURE: ± 67.6 psf

- RATING: CW-PG45

CCL Listing# 436-H-001.12-.13

Quast Consulting & Testing #: QCT20-6051.12

Vinyl Casement Picture
Thru-Frame Installation / WDMA Instructions

PAGE 2 of 2

UPDATED 02/25/2021

DRAWN BY: B.K.

**ELEVATION SHOWING
FASTENER LOCATION & SPACING
(TYP.)**

