





2" METALWRAP PANEL




3" METALWRAP PANEL

PANEL SPECIFICATIONS

- 1) INTERIOR SKIN SHALL BE ASTM A653, GRADE 50, G90 GALVANIZED STEEL WITH 0.014" (29 GA.) MINIMUM THICKNESS.
- 2) EXTERIOR SKIN SHALL BE ASTM A653, GRADE 50, G90 GALVANIZED STEEL WITH 0.014" (29 GA.) MINIMUM THICKNESS.
- 3) SHOP APPLIED SEALANT SHALL BE 3/8"x 3/8" CONTINUOUS BEAD OF NON-CURING BUTYL AS PER MANUFACTURES STANDARDS.
- 4) FIELD APPLIED SEALANT SHALL BE:
TREMCO JS-773, NON-CURING BUTYL BY TREMCO, BEACHWOOD, OHIO.
- 5) CORE MATERIAL IS P.I.R. FOAM WITH A DENSITY OF 2.50 (MIN.) PCF.
- 6) P.I.R. FOAM PLASTIC PROPERTIES:
SELF IGNITION TEMPERATURE per ASTM D1929 – 932°F.
FLASH IGNITION TEMPERATURE per ASTM D1929 – 824°F.
FLAME SPREAD INDEX per ASTM E84 – LESS THAN 25.
SMOKE DEVELOPED per ASTM E84 – LESS THAN 450.

Robert J. Amoruso, P.E.
Florida P.E. No. 49752




Digitally signed
by Robert J
Amoruso
Date:
2021.09.07
16:45:46 -04'00'

PTC PRODUCT DESIGN GROUP, LLC
P.O. BOX 520775
Longwood, FL 32752-0775
FBPE Cert. of Auth. No. 25935

MetalWrap Air/Water Barrier
Cross Sections and Details
CENTRIA
1550 CORAOPOLIS HGTS. ROAD
MOON TOWNSHIP, PA 15108


DWG.	SH.	DATE	REV.
1	1of4	07/15/21	0




**HEAD OPENING for
HORIZONTAL PANEL**

1. MINIMUM STUD THICKNESS SHALL BE .0538" (16 GA.)
2. RAIL TO STUD FASTENERS TO BE 1/4" DIAMETER SELF DRILLING FASTENERS. TWO PER STUD.
3. SUBGIRT TO RAIL FASTENERS TO BE 1/4" DIAMETER SELF TAPPING STAINLESS STEEL. TWO PER RAIL.
4. PANELS PROVIDE NO DIAPHRAGM CAPACITY.
5. MAXIMUM PANEL SPAN IS 1'-4"
6. THE MAXIMUM ALLOWABLE DESIGN PRESSURE SHALL BE +/- 120.0 PSF.
7. PANEL SHALL BE ATTACHED TO STEEL SUPPORTS USING MR100 RAILS IN THE SIDE JOINT AND 1/4" DIAMETER PANCAKE HEAD FASTENERS AT CUT PANEL EDGES.
8. FILL HOLE IN PANEL WITH NON-CURING BUTYL PRIOR TO INSTALLING FASTENERS.

NOTE: PRODUCT CONTROL APPROVAL IS LIMITED TO THE WALL PANEL AND ITS ATTACHMENT TO THE STRUCTURAL STEEL FRAMING. THE STRUCTURAL ADEQUACY OF THE STEEL FRAMING AND ALL OTHER STRUCTURAL MEMBERS, CONNECTIONS AND FOUNDATION SHALL BE REVIEWED BY THE STRUCTURAL PLANS EXAMINER OF THE APPROPRIATE BUILDING DEPARTMENT.




**JAMB OPENING for
HORIZONTAL PANEL**



**SILL OPENING for
HORIZONTAL PANEL**

Robert J. Amoruso, P.E.
Florida P.E. No. 49752



Digitally signed
by Robert J
Amoruso
Date:
2021.09.07
16:47:07 -04'00'

PTC PRODUCT DESIGN GROUP, LLC
P.O. BOX 520775
Longwood, FL 32752-0775
FBPE Cert. of Auth. No. 25935

MetalWrap Air/Water Barrier

Cross Sections and Details

MR100 Rail System


CENTRIA

1550 CORAOPOLIS HGTS. ROAD


MOON TOWNSHIP, PA 15108

DWG. SH. DATE REV.


1 2of4 07/15/21 0



**HEAD OPENING for
HORIZONTAL PANEL**




**JAMB OPENING for
HORIZONTAL PANEL**



**SILL OPENING for
HORIZONTAL PANEL**

NOTE: PRODUCT CONTROL APPROVAL IS LIMITED TO THE WALL PANEL AND ITS ATTACHMENT TO THE STRUCTURAL STEEL FRAMING. THE STRUCTURAL ADEQUACY OF THE STEEL FRAMING AND ALL OTHER STRUCTURAL MEMBERS, CONNECTIONS AND FOUNDATION SHALL BE REVIEWED BY THE STRUCTURAL PLANS EXAMINER OF THE APPROPRIATE BUILDING DEPARTMENT.


Robert J. Amoruso, P.E.
Florida P.E. No. 49752




Digitally signed
by Robert J
Amoruso
Date:
2021.09.07
16:47:21 -04'00'

PTC PRODUCT DESIGN GROUP, LLC
P.O. BOX 520775
Longwood, FL 32752-0775
FBPE Cert. of Auth. No. 25935


MetalWrap Air/Water Barrier			
Cross Sections and Details			
MR300 Rail System			
CENTRIA			
1550 CORAOPOLIS HGTS. ROAD			
MOON TOWNSHIP, PA 15108			
DWG.	SH.	DATE	REV.
1	3of4	07/15/21	0




MR100 RAIL PANEL SIDE JOINT FOR HORIZONTAL PANELS




MR300 RAIL PANEL SIDE JOINT FOR HORIZONTAL PANELS



MR-100 RAIL
16 GA. GALV. STEEL
(50 KSI)




MR-300 RAIL
16 GA. GALV. STEEL
(50 KSI)



SUBGIRT
($\frac{3}{4}$ " MINIMUM DEPTH)
16 GA. GALV. STEEL
(50 KSI)

Robert J. Amoruso, P.E.
Florida P.E. No. 49752



Digitally signed
by Robert J
Amoruso
Date:
2021.09.07
16:47:33 -04'00'

PTC PRODUCT DESIGN GROUP, LLC
P.O. BOX 520775
Longwood, FL 32752-0775
FBPE Cert. of Auth. No. 25935

MetalWrap Air/Water Barrier
Cross Sections and Details
CENTRIA
1550 CORAOPOLIS HGTS. ROAD
MOON TOWNSHIP, PA 15108

DWG.	SH.	DATE	REV.
1	4 of 4	07/15/21	0