


Z:\2023 FBC Drawings\PDQ Manufacturing\FL-40297 R3\FL-40297.3.dwg



NOTE:
1. DESIGN PRESSURE RATING REQUIRES THE USE OF SEX BOLTS/NUTS.
THE RIM PANIC DEVICE CANNOT BE SURFACE MOUNTED.

6300R/6300RF WIDE STILE RIM PANIC EXIT DEVICE

Documents Prepared By:
Lyndon F. Schmidt
P.E. No. 43409

RW BUILDING CONSULTANTS, INC.
P.O. Box 230, Valrico, FL 33595
Phone No.: 813.659.9197
FBPE Registry No. 9813

PRODUCT:
PDQ MANUFACTURING
RIM PANIC EXIT DEVICE

PART OR ASSEMBLY:
6300R/6300RF SERIES DETAILS

NO.	DATE	REVISIONS
2	7/02/26	UPDATE TO 9TH ED. (2026) FBC LFS
1	10/5/23	UPDATE TO 8TH ED. (2023) FBC LFS
		BY

DATE: 5/12/22

SCALE: N.T.S.

DWG. BY: RW





CHK. BY: LFS

DRAWING NO.:

FL-40297.3

SHEET 2 OF 3

Z:\2023 FBC Drawings\PDQ Manufacturing\FL-40297 R3\FL-40297.3.dwg



40 MPI DOOR PANEL
METAL PRODUCTS, INC.

STEEL DOOR SKIN (18 GA.): MIN. 0.046" THK. (Fy = 32800 PSI MIN.)

Documents Prepared By: Lyndon F. Schmidt P.E. No. 43409				BUILDING CONSULTANTS, INC. P.O. Box 230, Valrico, FL 33595 Phone No.: 813.659.9197 FBPE Registry No. 9813			
PRODUCT:		PDQ MANUFACTURING RIM PANIC EXIT DEVICE		PART OR ASSEMBLY:		DOOR PANEL DETAILS	
				2	7/02/26	UPDATE TO 9TH ED. (2026)	FBC LFS
				1	10/5/23	UPDATE TO 8TH ED. (2023)	FBC LFS
				NO.	DATE		BY
				REVISIONS			
DATE: 5/12/22							
SCALE: N.T.S.							
DWG. BY: RW							
CHK. BY: LFS							
DRAWING NO.: FL-40297.3							
SHEET 3 OF 3							