

THIS PRODUCT APPROVAL IS VALID
ONLY FOR THE STATE OF FLORIDA











-
- 40" MAX. O.A. FRAME WIDTH
- 86" MAX. O.A. FRAME HEIGHT
- X
- INTERCONNECTED LATCH & DEADBOLT
- Printed copy considered void. No other copy must be void.
- THIS ONLY

CONFIGURATION	DOOR	LOCK TYPE	DESIGN PRESSURE (PSF) OUTSWING	
			POSITIVE	NEGATIVE
SINGLE	24 GA.	"e-Genius" SERIES INTERCONNECTED LOCK	+65.0	-65.0

[illegible]

Documents Prepared By:
Lyndon F. Schmidt
P.E. No. 43409

RW BUILDING CONSULTANTS, INC.
P.O. Box 230, Valrico, FL 33595
Phone No.: 813.659.9197
FBPE Registry No. 9813



TOWNSTEEL
"e-Genius" SERIES
INTERCONNECTED LOCK

[illegible]

Documents Prepared By:
Lyndon F. Schmidt
P.E. No. 43409

R^W
BUILDING CONSULTANTS, INC.
P.O. Box 230, Valrico, FL 33595
Phone No.: 813.659.9197
FBPE Registry No. 9813

© 2022 R.W. BUILDING CONSULTANTS INC.

