




This item has been digitally signed and sealed by
L. F. Schmidt, P.E. on the date adjacent to the seal.
Printed copies of this document are not
considered signed and sealed and the signature
must be verified on any electronic copies.

Diagram illustrating the dimensions and components of a door:

- 40" MAX. O.A. FRAME WIDTH**: Dimension across the top of the door frame.
- 86" MAX. O.A. FRAME HEIGHT**: Dimension along the left side of the door frame.
- X**: A mark indicating the location of the latch and deadbolt.
- INTERCONNECTED LATCH & DEADBOLT**: A label pointing to the door handle assembly.

- | TABLE OF CONTENTS | |
|-------------------|---|
| SHEET# | DESCRIPTION |
| 1 | Typical elevation, design pressures & general notes |
| 2 | Lock details |
| 3 | Door panel details |

CONFIGURATION	DOOR	LOCK TYPE	DESIGN PRESSURE (PSF) OUTSWING	
			POSITIVE	NEGATIVE
SINGLE	24 GA.	"e-Genius" SERIES INTERCONNECTED LOCK	+65.0	-65.0

Documents Prepared By:
Lyndon F. Schmidt
P.E. No. 43409













RW BUILDING CONSULTANTS, INC.
P.O. Box 230, Valrico, FL 33595
Phone No.: 813.659.9197
FBPE Registry No. 9813

PRODUCT: TOWNSTEEL
INTERCONNECTED LOCK

PART OR ASSEMBLY:
TYPICAL ELEVATION, DESIGN
PRESSURES & GENERAL NOTES

[illegible]

DATE:	3/24/22
SCALE:	N.T.S.
DWG. BY:	LFS
CHK. BY:	RW
DRAWING NO.:	FL-41494.5
SHEET	1 OF 3




TOWNSTEEL
"e-Genius" SERIES
INTERCONNECTED LOCK

DATE:	3/24/22
SCALE:	N.T.S.
DWG. BY:	LFS
CHK. BY:	RW
DRAWING NO.:	FL-41494.5
SHEET	2 OF 3


Documents Prepared By:
Lyndon F. Schmidt
P.E. No. 43409

R^W BUILDING CONSULTANTS, INC.
P.O. Box 230, Valrico, FL 33595
Phone No.: 813.659.9197
FBPE Registry No. 9813

© 2022 R.W. BUILDING CONSULTANTS INC.



1 **HORIZONTAL CROSS SECTION**
3



2 VERTICAL CROSS SECTION

CORROSION RESISTANCE - SALTWATER ENVIRONMENT

Fasteners & connectors in areas within 3000 ft (914 m) of a saltwater coastline shall comply with FBC Sections 1711.1 or R332.1.

[illegible]

Documents Prepared By:
Lyndon F. Schmidt
P.E. No. 43409

R^qW BUILDING CONSULTANTS, INC.
P.O. Box 230, Valrico, FL 33595
Phone No.: 813.659.9197
FBPE Registry No. 9813