

4/9/2026 9:13 AM

c:\users\harley\desktop\panoramah! america llc (fbc-25-1148-1 - aluminum impact product revisions) (dwg) 146510-1 monorail fxd (pan027.dwg


# PanoramAH! AMERICA, LLC

## MONORAIL FIXED WINDOW

### (HVHZ)(IMPACT)

GENERAL NOTES:

1. THE PRODUCT SHOWN HEREIN IS DESIGNED AND MANUFACTURED TO COMPLY WITH THE CURRENT EDITION OF THE FLORIDA BUILDING CODE (FBC), **INCLUDING** HVHZ AND HAS BEEN EVALUATED ACCORDING TO THE FOLLOWING:
  - TAS 201-94
  - TAS 202-94
  - TAS 203-94
2. ADEQUACY OF THE EXISTING STRUCTURAL CONCRETE/MASONRY, 2X FRAMING, AND METAL FRAMING AS A MAIN WIND FORCE RESISTING SYSTEM CAPABLE OF WITHSTANDING AND TRANSFERRING APPLIED PRODUCT LOADS TO THE FOUNDATION IS THE RESPONSIBILITY OF THE ENGINEER OR ARCHITECT OF RECORD FOR THE PROJECT OF INSTALLATION.
3. 1X AND 2X BUCKS (WHEN USED) SHALL BE DESIGNED AND ANCHORED TO PROPERLY TRANSFER ALL LOADS TO THE STRUCTURE. BUCK DESIGN AND INSTALLATION IS THE RESPONSIBILITY OF THE ENGINEER OR ARCHITECT OF RECORD FOR THE PROJECT OF INSTALLATION.
4. INSTALL INDIVIDUAL INSTALLATION ANCHORS WITHIN A TOLERANCE OF ±1/2 INCH OF THE DEPICTED LOCATION IN THE ANCHOR LAYOUT DETAIL (I.E., WITHOUT CONSIDERATION OF TOLERANCES). TOLERANCES ARE NOT CUMULATIVE FROM ONE INSTALLATION ANCHOR TO THE NEXT.
5. THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.
6. APPROVED IMPACT PROTECTIVE SYSTEM **IS NOT REQUIRED** ON THIS PRODUCT IN AREAS REQUIRING IMPACT RESISTANCE.
7. WINDOW FRAME MATERIAL: ALUMINUM 6063-T5
8. GLASS MEETS THE REQUIREMENTS OF ASTM E1300 GLASS CHARTS.



GLAZING NOTES:

1. GLASS TYPE COMPLIES WITH ASTM E1300 REQUIREMENTS. PER THE FBC TEMPER AND SAFETY GLAZING REQUIREMENTS SHALL BE REVIEWED ON A SITE SPECIFIC BASIS.
2. SETTING BLOCK DUROMETER HARDNESS OF 70-90 (SHORE A) AS REFERENCED IN FBC CHAPTER 24.
3. SETTING BLOCKS TO BE LOCATED AT 1/4 SPAN LENGTH FOR GLASS WIDER THAN 36" AS PER FBC CHAPTER 24.
4. D.L.O. AND DESIGN PRESSURES MAY NOT EXCEED MAX VALUES SHOWN HEREIN.
5. GLAZING BEAD CAN BE PLACED ON INTERIOR OR EXTERIOR.

| TABLE OF CONTENTS |                                     |
|-------------------|-------------------------------------|
| SHEET             | SHEET DESCRIPTION                   |
| 1                 | GENERAL NOTES & GLAZING DETAIL      |
| 2                 | ELEVATION & ANCHOR LAYOUT           |
| 3                 | DESIGN PRESSURE TABLES              |
| 4                 | VERTICAL SECTION                    |
| 5                 | HORIZONTAL SECTION                  |
| 6                 | INSTALLATION NOTES & ANCHOR DETAILS |

| DESIGN PRESSURE RATING (PSF) |                       |              |                 |                              |
|------------------------------|-----------------------|--------------|-----------------|------------------------------|
| CONFIGURATION                | WIDTH (IN.)           | HEIGHT (IN.) | DESIGN PRESSURE | MISSILE IMPACT RATING        |
| O                            | SEE TABLES ON SHEET 3 |              |                 | LARGE & SMALL MISSILE IMPACT |



1000 WOODBURY ROAD, STE. 206  
WOODBURY, NY 11797  
PH: (631)683-8580

TITLE: MONORAIL FIXED WINDOW  
(HVHZ)(IMPACT)  
GENERAL NOTES &  
GLAZING DETAIL


PREPARED BY:  
**BUILDING DROPS, INC.**  
1900 NE MIAMI COURT, STE. 2-15  
MIAMI, FL 33132  
PH: (954)399-8478  
FAX: (954)744-4738  
WEB: www.buildingdrops.com



| REMARKS | BY | DATE |
|---------|----|------|
|         |    |      |
|         |    |      |
|         |    |      |
|         |    |      |

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.

Digitally signed by Hermes F. Norero, P.E.  
Reason: I am approving this document  
Date: 2026.04.09 10:51:41 -04'00'



FL #:  
**FL46510**

DATE: **03.16.2026**

DWG. BY: **HJ**      CHK. BY: **HFN**


SCALE: **NTS**

DWG. #: **PAN027**


SECTION:  
**1**

OF 6

c:\users\harley\desktop\panoramahi\building drops, inc.\building drops landing - common\projects\panoramahi\america lla\fbp-25-1148.1 - aluminum impact product revisions\dwgs\146510.1 monorail fxd\pan027.dwg 4/9/2026 9:13 AM



ELEVATION  
MONORAIL FIXED WINDOW



ANCHOR LAYOUT  
THROUGH FRAME INSTALLATION

D.L.O. HEIGHT = FRAME HEIGHT - 3.75"  
D.L.O. WIDTH = FRAME WIDTH - 3.75"



1000 WOODBURY ROAD, STE. 206  
WOODBURY, NY 11797  
PH: (631)683-8580

TITLE: MONORAIL FIXED WINDOW  
(HVHZ)/(IMPACT)

ELEVATION & ANCHOR LAYOUT

PREPARED BY:


BUILDING DROPS, INC.

1900 NE MIAMI COURT, STE. 2-15  
MIAMI, FL 33132  
PH: (954)399-8478  
FAX: (954)744-4738  
WEB: www.buildingdrops.com



| REMARKS | BY | DATE |
|---------|----|------|
|         |    |      |
|         |    |      |
|         |    |      |
|         |    |      |

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE  
GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR  
A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION  
TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A  
LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE  
SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



|          |            |
|----------|------------|
| FL #:    | FL46510    |
| DATE:    | 03.16.2026 |
| DWG. BY: | CHK. BY:   |
| HJ       | HFN        |
| SCALE:   | NTS        |
| DWG. #:  | PAN027     |
| SECTION: | 2          |



4/9/2026 9:13 AM

c:\users\harley\desktop\panoramahi\building drops - common\projects\panoramahi\america\lca\fbp-25-1148-1 - aluminum impact product revisions\dwgs\146510-1 monorail f.p\pan027.dwg

| DESIGN PRESSURE TABLE (PSF) |                    |          |          |
|-----------------------------|--------------------|----------|----------|
| NOMINAL DIMS.               |                    | POS. (+) | NEG. (-) |
| FRAME WIDTH (IN.)           | FRAME HEIGHT (IN.) |          |          |
| 42                          | 84                 | 75.0     | 75.0     |
| 48                          |                    | 75.0     | 75.0     |
| 54                          |                    | 75.0     | 75.0     |
| 60                          |                    | 75.0     | 75.0     |
| 66                          |                    | 75.0     | 75.0     |
| 72                          |                    | 75.0     | 75.0     |
| 78                          | 90                 | 60.0     | 60.0     |
| 84                          |                    | 60.0     | 60.0     |
| 42                          |                    | 75.0     | 75.0     |
| 48                          |                    | 75.0     | 75.0     |
| 54                          |                    | 75.0     | 75.0     |
| 60                          |                    | 75.0     | 75.0     |
| 66                          | 96                 | 75.0     | 75.0     |
| 72                          |                    | 75.0     | 75.0     |
| 78                          |                    | 60.0     | 60.0     |
| 84                          |                    | 60.0     | 60.0     |
| 90                          |                    | 60.0     | 60.0     |
| 96                          |                    | 60.0     | 60.0     |
| 42                          | 102                | 75.0     | 75.0     |
| 48                          |                    | 75.0     | 75.0     |
| 54                          |                    | 75.0     | 75.0     |
| 60                          |                    | 75.0     | 75.0     |
| 66                          |                    | 60.0     | 60.0     |
| 72                          |                    | 60.0     | 60.0     |
| 78                          | 108                | 60.0     | 60.0     |
| 84                          |                    | 60.0     | 60.0     |
| 90                          |                    | 60.0     | 60.0     |
| 96                          |                    | 60.0     | 60.0     |
| 102                         |                    | 60.0     | 60.0     |
| 42                          | 114                | 75.0     | 75.0     |
| 48                          |                    | 75.0     | 75.0     |
| 54                          |                    | 75.0     | 75.0     |
| 60                          |                    | 60.0     | 60.0     |
| 66                          |                    | 60.0     | 60.0     |
| 72                          |                    | 60.0     | 60.0     |
| 78                          | 120                | 60.0     | 60.0     |
| 84                          |                    | 60.0     | 60.0     |
| 90                          |                    | 60.0     | 60.0     |
| 96                          |                    | 60.0     | 60.0     |
| 102                         |                    | 60.0     | 60.0     |
| 108                         |                    | 60.0     | 60.0     |
| 114                         | 126                | 60.0     | 60.0     |
| 120                         |                    | 60.0     | 60.0     |
| 42                          | 132                | 75.0     | 75.0     |
| 48                          |                    | 60.0     | 60.0     |
| 54                          |                    | 60.0     | 60.0     |
| 60                          |                    | 60.0     | 60.0     |
| 66                          |                    | 60.0     | 60.0     |
| 72                          |                    | 60.0     | 60.0     |
| 78                          | 138                | 60.0     | 60.0     |
| 84                          |                    | 60.0     | 60.0     |
| 90                          |                    | 60.0     | 60.0     |
| 96                          |                    | 60.0     | 60.0     |
| 102                         |                    | 60.0     | 60.0     |
| 108                         |                    | 60.0     | 60.0     |
| 42                          | 144                | 75.0     | 75.0     |
| 48                          |                    | 75.0     | 75.0     |
| 54                          |                    | 75.0     | 75.0     |
| 60                          |                    | 60.0     | 60.0     |
| 66                          |                    | 60.0     | 60.0     |
| 72                          |                    | 60.0     | 60.0     |
| 78                          | 150                | 60.0     | 60.0     |
| 84                          |                    | 60.0     | 60.0     |
| 90                          |                    | 60.0     | 60.0     |
| 96                          |                    | 60.0     | 60.0     |
| 102                         |                    | 60.0     | 60.0     |
| 108                         |                    | 60.0     | 60.0     |
| 42                          | 156                | 75.0     | 75.0     |
| 48                          |                    | 60.0     | 60.0     |
| 54                          |                    | 60.0     | 60.0     |
| 60                          |                    | 60.0     | 60.0     |
| 66                          |                    | 60.0     | 60.0     |
| 72                          |                    | 60.0     | 60.0     |
| 78                          | 162                | 60.0     | 60.0     |
| 84                          |                    | 60.0     | 60.0     |
| 90                          |                    | 60.0     | 60.0     |
| 96                          |                    | 60.0     | 60.0     |
| 102                         |                    | 60.0     | 60.0     |
| 108                         |                    | 60.0     | 60.0     |
| 42                          | 168                | 75.0     | 75.0     |
| 48                          |                    | 60.0     | 60.0     |
| 54                          |                    | 60.0     | 60.0     |
| 60                          |                    | 60.0     | 60.0     |
| 66                          |                    | 60.0     | 60.0     |
| 72                          |                    | 60.0     | 60.0     |
| 78                          | 174                | 60.0     | 60.0     |
| 84                          |                    | 60.0     | 60.0     |
| 90                          |                    | 60.0     | 60.0     |
| 96                          |                    | 60.0     | 60.0     |
| 102                         |                    | 60.0     | 60.0     |
| 108                         |                    | 60.0     | 60.0     |
| 42                          | 180                | 75.0     | 75.0     |
| 48                          |                    | 60.0     | 60.0     |
| 54                          |                    | 60.0     | 60.0     |
| 60                          |                    | 60.0     | 60.0     |
| 66                          |                    | 60.0     | 60.0     |
| 72                          |                    | 60.0     | 60.0     |
| 78                          | 186                | 60.0     | 60.0     |
| 84                          |                    | 60.0     | 60.0     |
| 90                          |                    | 60.0     | 60.0     |
| 96                          |                    | 60.0     | 60.0     |
| 102                         |                    | 60.0     | 60.0     |
| 108                         |                    | 60.0     | 60.0     |
| 42                          | 192                | 75.0     | 75.0     |
| 48                          |                    | 60.0     | 60.0     |
| 54                          |                    | 60.0     | 60.0     |
| 60                          |                    | 60.0     | 60.0     |
| 66                          |                    | 60.0     | 60.0     |
| 72                          |                    | 60.0     | 60.0     |
| 78                          | 198                | 60.0     | 60.0     |
| 84                          |                    | 60.0     | 60.0     |
| 90                          |                    | 60.0     | 60.0     |
| 96                          |                    | 60.0     | 60.0     |
| 102                         |                    | 60.0     | 60.0     |
| 108                         |                    | 60.0     | 60.0     |
| 42                          | 204                | 75.0     | 75.0     |
| 48                          |                    | 60.0     | 60.0     |
| 54                          |                    | 60.0     | 60.0     |
| 60                          |                    | 60.0     | 60.0     |
| 66                          |                    | 60.0     | 60.0     |
| 72                          |                    | 60.0     | 60.0     |
| 78                          | 210                | 60.0     | 60.0     |
| 84                          |                    | 60.0     | 60.0     |
| 90                          |                    | 60.0     | 60.0     |
| 96                          |                    | 60.0     | 60.0     |
| 102                         |                    | 60.0     | 60.0     |
| 108                         |                    | 60.0     | 60.0     |
| 42                          | 216                | 75.0     | 75.0     |
| 48                          |                    | 60.0     | 60.0     |
| 54                          |                    | 60.0     | 60.0     |
| 60                          |                    | 60.0     | 60.0     |
| 66                          |                    | 60.0     | 60.0     |
| 72                          |                    | 60.0     | 60.0     |
| 78                          | 222                | 60.0     | 60.0     |
| 84                          |                    | 60.0     | 60.0     |
| 90                          |                    | 60.0     | 60.0     |
| 96                          |                    | 60.0     | 60.0     |
| 102                         |                    | 60.0     | 60.0     |
| 108                         |                    | 60.0     | 60.0     |
| 42                          | 228                | 75.0     | 75.0     |
| 48                          |                    | 60.0     | 60.0     |
| 54                          |                    | 60.0     | 60.0     |
| 60                          |                    | 60.0     | 60.0     |
| 66                          |                    | 60.0     | 60.0     |
| 72                          |                    | 60.0     | 60.0     |
| 78                          | 234                | 60.0     | 60.0     |
| 84                          |                    | 60.0     | 60.0     |
| 90                          |                    | 60.0     | 60.0     |
| 96                          |                    | 60.0     | 60.0     |
| 102                         |                    | 60.0     | 60.0     |
| 108                         |                    | 60.0     | 60.0     |

| DESIGN PRESSURE TABLE (PSF) |                       |          |          |
|-----------------------------|-----------------------|----------|----------|
| NOMINAL DIMS.               |                       | POS. (+) | NEG. (-) |
| FRAME<br>WIDTH (IN.)        | FRAME<br>HEIGHT (IN.) |          |          |
| 42                          | 126                   | 75.0     | 75.0     |
| 48                          |                       | 75.0     | 75.0     |
| 54                          |                       | 60.0     | 60.0     |
| 60                          |                       | 60.0     | 60.0     |
| 66                          |                       | 60.0     | 60.0     |
| 72                          |                       | 60.0     | 60.0     |
| 78                          |                       | 60.0     | 60.0     |
| 84                          |                       | 60.0     | 60.0     |
| 90                          |                       | 60.0     | 60.0     |
| 96                          |                       | 60.0     | 60.0     |
| 102                         |                       | 60.0     | 60.0     |
| 108                         |                       | 60.0     | 60.0     |
| 114                         |                       | 60.0     | 60.0     |
| 120                         |                       | 60.0     | 60.0     |
| 126                         | 60.0                  | 60.0     |          |
| 42                          | 132                   | 75.0     | 75.0     |
| 48                          |                       | 75.0     | 75.0     |
| 54                          |                       | 60.0     | 60.0     |
| 60                          |                       | 60.0     | 60.0     |
| 66                          |                       | 60.0     | 60.0     |
| 72                          |                       | 60.0     | 60.0     |
| 78                          |                       | 60.0     | 60.0     |
| 84                          |                       | 60.0     | 60.0     |
| 90                          |                       | 60.0     | 60.0     |
| 96                          |                       | 60.0     | 60.0     |
| 102                         |                       | 60.0     | 60.0     |
| 108                         |                       | 60.0     | 60.0     |
| 114                         |                       | 60.0     | 60.0     |
| 120                         |                       | 60.0     | 60.0     |
| 126                         | 60.0                  | 60.0     |          |
| 42                          | 138                   | 75.0     | 75.0     |
| 48                          |                       | 60.0     | 60.0     |
| 54                          |                       | 60.0     | 60.0     |
| 60                          |                       | 60.0     | 60.0     |
| 66                          |                       | 60.0     | 60.0     |
| 72                          |                       | 60.0     | 60.0     |
| 78                          |                       | 60.0     | 60.0     |
| 84                          |                       | 60.0     | 60.0     |
| 90                          |                       | 60.0     | 60.0     |
| 96                          |                       | 60.0     | 60.0     |
| 102                         |                       | 60.0     | 60.0     |
| 108                         |                       | 60.0     | 60.0     |
| 114                         |                       | 60.0     | 60.0     |
| 120                         |                       | 60.0     | 60.0     |
| 126                         | 60.0                  | 60.0     |          |
| 42                          | 150                   | 75.0     | 75.0     |
| 48                          |                       | 60.0     | 60.0     |
| 54                          |                       | 60.0     | 60.0     |
| 60                          |                       | 60.0     | 60.0     |
| 66                          |                       | 60.0     | 60.0     |
| 72                          |                       | 60.0     | 60.0     |
| 78                          |                       | 60.0     | 60.0     |
| 84                          |                       | 60.0     | 60.0     |
| 90                          |                       | 60.0     | 60.0     |
| 96                          |                       | 60.0     | 60.0     |
| 102                         |                       | 60.0     | 60.0     |
| 108                         |                       | 60.0     | 60.0     |
| 114                         |                       | 60.0     | 60.0     |
| 120                         |                       | 60.0     | 60.0     |
| 125                         | 60.0                  | 60.0     |          |
| 42                          | 156                   | 60.0     | 60.0     |
| 48                          |                       | 60.0     | 60.0     |
| 54                          |                       | 60.0     | 60.0     |
| 60                          |                       | 60.0     | 60.0     |
| 66                          |                       | 60.0     | 60.0     |
| 72                          |                       | 60.0     | 60.0     |
| 78                          |                       | 60.0     | 60.0     |
| 84                          |                       | 60.0     | 60.0     |
| 90                          |                       | 60.0     | 60.0     |
| 96                          |                       | 60.0     | 60.0     |
| 102                         |                       | 60.0     | 60.0     |
| 108                         |                       | 60.0     | 60.0     |
| 114                         |                       | 60.0     | 60.0     |
| 120                         |                       | 59.0     | 59.0     |

c:\users\harley\desktop\building drops, inc.\building drops landing - common\projects\panoramahi\america\lca\lca-fbc-25-1148.1 - aluminum impact product revisions\dwgs\146510.1 monorail fxd\pan027.dwg 4/9/2026 9:13 AM



**A**  
**4** **VERTICAL SECTION**  
TYP. SECTION DETAIL



1000 WOODBURY ROAD, STE. 206  
WOODBURY, NY 11797  
PH: (631)683-8580

TITLE: MONORAIL FIXED WINDOW  
(HVHZ)/(IMPACT)

VERTICAL SECTION


PREPARED BY:

**BUILDING DROPS, INC.**  
1900 NE MIAMI COURT, STE. 2-15  
MIAMI, FL 33132  
PH: (954)399-8478  
FAX: (954)744-4738  
WEB: www.buildingdrops.com

**BUILDING DROPS**

| REMARKS | BY | DATE |
|---------|----|------|
|         |    |      |
|         |    |      |
|         |    |      |
|         |    |      |

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



FL #:  
**FL46510**

DATE: **03.16.2026**

DWG. BY:  
**HJ**


CHK. BY:  
**HFN**

SCALE: **NTS**

DWG. #: **PAN027**

SECTION:  
**4**

c:\users\harley\desktop\panoramahi\building drops, inc.\common\projects\panoramahi\america\lca\lca-fbc-25-1148.1 - aluminum impact product revisions\dwgs\146510.1 monorail f\pan027.dwg 4/9/2026 9:13 AM



**A**  
**5** **HORIZONTAL SECTION**  
TYP. SECTION DETAIL



1000 WOODBURY ROAD, STE. 206  
WOODBURY, NY 11797  
PH: (631)683-8580

TITLE: MONORAIL FIXED WINDOW  
(HVHZ)/(IMPACT)

HORIZONTAL SECTION

PREPARED BY:

**BUILDING DROPS, INC.**  
1900 NE MIAMI COURT, STE. 2-15  
MIAMI, FL 33132  
PH: (954)399-8478  
FAX: (954)744-4738  
WEB: www.buildingdrops.com



| REMARKS | BY | DATE |
|---------|----|------|
|         |    |      |
|         |    |      |
|         |    |      |
|         |    |      |

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



FL #: **FL46510**

DATE: **03.16.2026**

|                       |                        |
|-----------------------|------------------------|
| DWG. BY:<br><b>HJ</b> | CHK. BY:<br><b>HFN</b> |
|-----------------------|------------------------|


SCALE: **NTS**

DWG. #: **PAN027**


SECTION:  
**5**

OF 6


c:\users\harvey\desktop\panoramahi\building drops, inc.\common\projects\panoramahi\america\lca\fbp-25-1148-1 - aluminum impact product revisions.dwg 1/4/6510.1 monorail f.p. pan027.dwg 4/9/2026 9:13 AM



**A**  
**6** VERTICAL SECTION  
HEAD - THROUGH FRAME



**B**  
**6** VERTICAL SECTION  
SILL - THROUGH FRAME



**C**  
**6** HORIZONTAL SECTION  
JAMB - THROUGH FRAME

INSTALLATION NOTES:

- ONE (1) INSTALLATION ANCHOR IS REQUIRED AT EACH ANCHOR LOCATION SHOWN.
- INSTALL INDIVIDUAL INSTALLATION ANCHORS WITHIN A TOLERANCE OF  $\pm 1/2$  INCH THE DEPICTED LOCATION & SPACING IN THE ANCHOR LAYOUT DETAILS (I.E., WITHOUT CONSIDERATION OF TOLERANCES). TOLERANCES ARE NOT CUMULATIVE FROM ONE INSTALLATION ANCHOR TO THE NEXT.
- SHIM AS REQUIRED AT EACH INSTALLATION ANCHOR WITH LOAD BEARING SHIM(S). MAXIMUM ALLOWABLE SHIM STACK TO BE 3/8 INCH. SHIM WHERE SPACE OF 1/16 INCH OR GREATER OCCURS. SHIM(S) SHALL BE CONSTRUCTED OF HIGH DENSITY PLASTIC OR BETTER.
- MINIMUM EMBEDMENT AND EDGE DISTANCE EXCLUDE WALL FINISHES, INCLUDING BUT NOT LIMITED TO STUCCO, FOAM, BRICK VENEER, AND SIDING.
- INSTALLATION ANCHORS AND ASSOCIATED HARDWARE MUST BE MADE OF CORROSION RESISTANT MATERIAL OR HAVE A CORROSION RESISTANT COATING.
- FOR MASONRY OR CONCRETE OPENINGS, A 1X WOOD BUCK MAY BE USED (OPTIONAL) AS LONG AS THE MINIMUM EMBEDMENT AND EDGE DISTANCE REQUIREMENTS ARE STILL MET WITHIN THE CORRESPONDING HOST SUBSTRATE. SEE GENERAL NOTE #3 ON SHEET 1 FOR MORE INFORMATION.
- FOR HOLLOW BLOCK AND GROUT FILLED BLOCK, DO NOT INSTALL INSTALLATION ANCHORS INTO MORTAR JOINTS. EDGE DISTANCE IS MEASURED FROM FREE EDGE OF BLOCK OR EDGE OF MORTAR JOINT INTO FACE SHELL OF BLOCK.
- INSTALLATION ANCHORS SHALL BE INSTALLED IN ACCORDANCE WITH ANCHOR MANUFACTURER'S INSTALLATION INSTRUCTIONS, AND ANCHORS SHALL NOT BE USED IN SUBSTRATES WITH STRENGTHS LESS THAN THE MINIMUM STRENGTH SPECIFIED BY THE ANCHOR MANUFACTURER.

| ANCHOR SCHEDULE            |                                                                        |                          |                                             |                    |
|----------------------------|------------------------------------------------------------------------|--------------------------|---------------------------------------------|--------------------|
| METHOD                     | SUBSTRATE                                                              | ANCHOR TYPE              | MIN. EMBEDMENT                              | MIN. EDGE DISTANCE |
| THROUGH FRAME INSTALLATION | WOOD: MIN. SG = 0.55                                                   | #14 WOOD SCREW           | 1.50"                                       | 0.75"              |
|                            | METAL: 18 GAUGE STEEL, MIN. Fy = 33KSI<br>ALUMINUM: 1/8" MIN., 6063-T5 | 1/4" SELF-DRILLING SCREW | 3 THREADS MIN. PENETRATION BEYOND STRUCTURE | 0.50"              |
|                            | CONCRETE: f'c=3000PSI                                                  | 1/4" ITW TAPCON          | 1.50"                                       | 2.50"              |
|                            | MASONRY: CMU per ASTM C90 MIN. 2000 PSI                                | 1/4" ITW TAPCON          | 1.00"                                       | 2.50"              |

PANORAMAH!  
unlimited perspective

1000 WOODBURY ROAD, STE. 206  
WOODBURY, NY 11797  
PH: (631)683-8580

TITLE: MONORAIL FIXED WINDOW  
(HVHZ)/(IMPACT)

INSTALLATION NOTES  
& ANCHOR DETAILS

PREPARED BY:  
BUILDING DROPS, INC.

1900 NE MIAMI COURT, STE. 2-15  
MIAMI, FL 33132

PH: (954)399-8478

FAX: (954)744-4738

WEB: www.buildingdrops.com



| REMARKS | BY | DATE |
|---------|----|------|
|         |    |      |
|         |    |      |
|         |    |      |
|         |    |      |

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



HERMES F. NORERO, P.E.  
BUILDING DROPS, INC.  
1900 NE MIAMI COURT, STE. 2-15  
MIAMI, FL 33132  
FBPE CERT. OF AUTHORIZATION No. 29578

|          |                   |
|----------|-------------------|
| FL #:    | <b>FL46510</b>    |
| DATE:    | <b>03.16.2026</b> |
| DWG. BY: | <b>HJ</b>         |
| CHK. BY: | <b>HFN</b>        |
| SCALE:   | <b>NTS</b>        |
| DWG. #:  | <b>PAN027</b>     |
| SECTION: | <b>6</b>          |