

c:\users\sebastianherrerros\building drops, inc\building drops, inc\projects\euro-wall, llc\fbc-24-1228 - fbc-submittal - fl46965 vista direct set - hvhz-shapes\dwgs\ews042.dwg
10/9/2025 5:23 PM

EURO-WALL, LLC

VISTA DIRECT SET (HVHZ) (IMPACT)

INSTALLATION NOTES:

- ONE (1) INSTALLATION ANCHOR IS REQUIRED AT EACH ANCHOR LOCATION SHOWN, UNLESS OTHERWISE STATED.
- THE NUMBER OF INSTALLATION ANCHORS DEPICTED IS THE MINIMUM NUMBER OF ANCHORS TO BE USED FOR PRODUCT INSTALLATION.
- INSTALL INDIVIDUAL INSTALLATION ANCHORS WITHIN A TOLERANCE OF ±1/4 INCH OF THE DEPICTED LOCATION IN THE ANCHOR LAYOUT DETAIL (I.E., WITHOUT CONSIDERATION OF TOLERANCES). TOLERANCES ARE NOT CUMULATIVE FROM ONE INSTALLATION ANCHOR TO THE NEXT.
- MINIMUM EMBEDMENT AND EDGE DISTANCE EXCLUDE WALL FINISHES, INCLUDING BUT NOT LIMITED TO STUCCO, FOAM, BRICK VENEER, AND SIDING.
- INSTALLATION ANCHORS AND ASSOCIATED HARDWARE MUST BE MADE OF CORROSION RESISTANT MATERIAL OR HAVE A CORROSION RESISTANT COATING.
- INSTALLATION ANCHORS SHALL BE INSTALLED IN ACCORDANCE WITH ANCHOR MANUFACTURER'S INSTALLATION INSTRUCTIONS, AND ANCHORS SHALL NOT BE USED IN SUBSTRATES WITH STRENGTHS LESS THAN THE MINIMUM STRENGTH SPECIFIED BY THE ANCHOR MANUFACTURER.
- INSTALLATION ANCHOR CAPACITIES FOR PRODUCTS HEREIN ARE BASED ON SUBSTRATE MATERIALS WITH THE FOLLOWING PROPERTIES:
 - STEEL - MIN. TENSILE YIELD STRENGTH OF 33 KSI. MIN. 18 GAUGE THICKNESS (0.0478").
 - WOOD - MINIMUM SPECIFIC GRAVITY = 0.55.
 - ALUMINUM - MIN. 6063-T5, MIN 1/8" WALL THICKNESS.
 - CONCRETE - MINIMUM COMPRESSIVE STRENGTH OF 3000 PSI.
 - GROUT FILLED CMU- UNIT STRENGTH CONFORMS TO ASTM C-90 WITH MINIMUM COMPRESSIVE STRENGTH OF 2000 PSI.

GENERAL NOTES:

- THE PRODUCT SHOWN HEREIN IS DESIGNED AND MANUFACTURED TO COMPLY WITH THE CURRENT EDITION OF THE FLORIDA BUILDING CODE, **INCLUDING** HVHZ, AND HAS BEEN EVALUATED TO THE FOLLOWING:
 - ASTM E283-19
 - ASTM E330-14(21)
 - ASTM E331-00(16)
 - TAS 201-94
 - TAS 202-94
 - TAS 203-94
 - ASTM E1886-19
 - ASTM E1996-20
 - AAMA 501-15
- ADEQUACY OF THE EXISTING STRUCTURAL 2X WOOD FRAMING OR METAL STUD FRAMING AS A MAIN WIND FORCE RESISTING SYSTEM CAPABLE OF WITHSTANDING AND TRANSFERRING APPLIED PRODUCT LOADS TO THE FOUNDATION IS THE RESPONSIBILITY OF THE ENGINEER OR ARCHITECT OF RECORD FOR THE PROJECT OF INSTALLATION.
- 1X AND 2X BUCKS (WHEN USED) SHALL BE DESIGNED AND ANCHORED TO PROPERLY TRANSFER ALL LOADS TO THE STRUCTURE. BUCK DESIGN AND INSTALLATION IS THE RESPONSIBILITY OF THE ENGINEER OR ARCHITECT OF RECORD FOR THE PROJECT OF INSTALLATION.
- THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.
- APPROVED IMPACT PROTECTIVE SYSTEM **IS NOT REQUIRED** TO PROTECT THIS PRODUCT IN AREAS REQUIRING IMPACT RESISTANCE.
- GLASS MEETS THE REQUIREMENTS OF ASTM E1300. SEE GLAZING DETAILS ON SHEETS 2.
- WINDOW FRAME MATERIAL: 6063-T5 ALUMINUM
- DESIGNATION "X" AND "O" STAND FOR THE FOLLOWING
X: OPERABLE PANEL
O: FIXED PANEL

TABLE OF CONTENTS	
SHEET	SHEET DESCRIPTION
1	INSTALLATION NOTES & GENERAL NOTES
2	GLAZING DETAILS
3	ELEVATIONS & DP TABLE SINGLE UNITS
4	ELEVATION & DP TABLE MULLED UNIT
5	ANCHOR LAYOUTS & ANCHOR SCHEDULE
6	VERTICAL SECTIONS
7	HORIZONTAL SECTIONS
8	INSTALLATION DETAILS & ANCHOR SCHEDULE

DESIGN PRESSURE TABLE			
CONFIGURATION		WATER TEST PRESSURE	IMPACT RATED
SINGLE UNIT	SEE SHEET 3	10.5 PSF	LARGE & SMALL MISSILE IMPACT RATED
MULLED UNIT	SEE SHEET 4	10.5 PSF	



EURO-WALL, LLC
P.O. BOX 8007
NORTH PORT, FL 34290
PH: 888-989-3876


VISTA DIRECT SET
(HVHZ) (IMPACT)
INSTALLATION NOTES &
GENERAL NOTES

PREPARED BY:
BUILDING DROPS, INC.
1900 NE MIAMI COURT, SUITE 2-15
MIAMI, FL 33132
PH: (954)399-8478
FAX: (954)744-4738
WEB: www.buildingdrops.com



REMARKS	BY	DATE
ALT. SHAPES ADDITION	SH	10.09.25

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



FL #:

FL46965

DATE: 08.08.2024

DWG. BY: SH
CHK. BY: HFN

SCALE: NTS


DWG. #: EWS042

SHEET:


1

OF 8


c:\users\sebastianhereros\building drops, inc\building drops, inc\projects\euro-wall, llc\fbc-24-1228 - fbc submittal - fl46965 vista direct set - hvhz shapes\dwgs\ews042.dwg
10/9/2025 5:23 PM




GLAZING DETAIL 1




GLAZING DETAIL 2




GLAZING DETAIL 3




GLAZING DETAIL 4



GLAZING DETAIL 5



GLAZING DETAIL 6



GLAZING DETAIL 7

GLAZING NOTES:

1. GLASS TYPE COMPLIES WITH ASTM E1300 REQUIREMENTS.
2. SETTING BLOCKS TO BE LOCATED AT 1/4 SPAN LENGTH FOR GLASS WIDER THAN 36" AS PER FBC CHAPTER 24.
3. SETTING BLOCK DUROMETER HARDNESS OF 70-90 (SHORE A) AS REFERENCED IN FBC CHAPTER 24.
4. GLASS TYPE SHALL COMPLY WITH APPLICABLE GLAZING REQUIREMENTS PER CHAPTER 24 OF THE FBC

euro-wall
SUPERIOR BY DESIGN

EURO-WALL, LLC
P.O. BOX 8007
NORTH PORT, FL 34290
PH: 888-989-3876

**VISTA DIRECT SET
(HVHZ) (IMPACT)**

GLAZING DETAILS

PREPARED BY:

BUILDING DROPS, INC.

1900 NE MIAMI COURT, SUITE 2-15

MIAMI, FL 33132

PH: (954)399-8478


FAX: (954)744-4738

WEB: www.buildingdrops.com



REMARKS	BY	DATE
ALT. SHAPES ADDITION	SH	10.09.25

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



FL #:

FL46965

DATE: **08.08.2024**

DWG. BY:
SH

CHK. BY:
HFN

SCALE: **NTS**


DWG. #: **EWS042**

SHEET:

2


OF 8

c:\users\sebastianherrerros\building drops, inc\building drops, inc\building drops, inc\projects\euro-wall, llc\fbc-24-1228 - fbc submittal - fl46965 vista direct set - hvhz shapes\dwgs\ews042.dwg 10/9/2025 5:23 PM



ELEVATION
SINGLE UNIT
RECTANGULAR


DAYLIGHT OPENING CALCULATIONS:
• D.L.O. HEIGHT = FRAME HEIGHT - 4.0"
• D.L.O. WIDTH = FRAME WIDTH - 4.0"



ELEVATION
SINGLE UNIT
ALTERNATE SHAPES

SINGLE UNIT DESIGN PRESSURE TABLE (PSF)														
FRAME HEIGHT (IN.)	FRAME WIDTH (IN.)													
		36	42	48	54	60	66	72	78	84	90	96	102	108
78		70.0	70.0	70.0	70.0	70.0	63.6	58.3	53.8	53.8	53.8	53.8	53.8	53.8
84		70.0	70.0	70.0	70.0	70.0	63.6	58.3	53.8	50.0	50.0	50.0	50.0	-
90		70.0	70.0	70.0	70.0	70.0	63.6	58.3	53.8	50.0	46.7	46.7	-	-
96		70.0	70.0	70.0	70.0	70.0	63.6	58.3	53.8	50.0	46.7	-	-	-
102		70.0	70.0	70.0	70.0	70.0	63.6	58.3	53.8	50.0	-	-	-	-
108		70.0	70.0	70.0	70.0	70.0	63.6	58.3	53.8	-	-	-	-	-
114		70.0	70.0	70.0	70.0	70.0	63.6	58.3	-	-	-	-	-	-
120		70.0	70.0	70.0	70.0	70.0	63.6	58.3	-	-	-	-	-	-
126		70.0	70.0	70.0	70.0	70.0	63.6	-	-	-	-	-	-	-
132		70.0	70.0	70.0	70.0	70.0	-	-	-	-	-	-	-	-
138		70.0	70.0	70.0	70.0	70.0	-	-	-	-	-	-	-	-
144		70.0	70.0	70.0	70.0	70.0	-	-	-	-	-	-	-	-
150		70.0	70.0	70.0	70.0	-	-	-	-	-	-	-	-	-
156		70.0	70.0	70.0	70.0	-	-	-	-	-	-	-	-	-
162		70.0	70.0	70.0	-	-	-	-	-	-	-	-	-	-
168		70.0	70.0	70.0	-	-	-	-	-	-	-	-	-	-

NOTE:
WINDOW WIDTH AND HEIGHT ARE
INTERCHANGEABLE FOR ALL SIZES SHOWN
HEREIN NOT TO EXCEED MAXIMUM
QUALIFIED SQUARE FOOT AREA.



euro-wall
SUPERIOR BY DESIGN

EURO-WALL, LLC
P.O. BOX 8007
NORTH PORT, FL 34290
PH: 888-989-3876

**VISTA DIRECT SET
(HVHZ) (IMPACT)**

ELEVATIONS & DP TABLE
SINGLE UNITS

PREPARED BY:

BUILDING DROPS, INC.

1900 NE MIAMI COURT, SUITE 2-15

MIAMI, FL 33132

PH: (954)399-8478


FAX: (954)744-4738

WEB: www.buildingdrops.com




REMARKS	BY	DATE
ALT. SHAPES ADDITION	SH	10.09.25

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC
AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC
SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE
FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED
ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC
DOCUMENTS FOR USE WITH THIS DOCUMENT.



FL #:	FL46965
DATE:	08.08.2024
DWG. BY:	SH
CHK. BY:	HFN
SCALE:	NTS
DWG. #:	EWS042
SHEET:	3


c:\users\sebastianherrerros\building drops, inc\building drops, inc\projects\euro-wall, llc\fbc-24-1228 - fbc submittal - fl46965 vista direct set - hvhz shapes\dwgs\ews042.dwg
10/9/2025 5:23 PM



ELEVATION
MULLED UNIT

- DAYLIGHT OPENING CALCULATIONS:
- D.L.O. HEIGHT = FRAME HEIGHT - 4.0"
 - D.L.O. WIDTH = TRIB. WIDTH - 2.3"

MULLED UNIT DESIGN PRESSURE TABLE (PSF)														
FRAME HEIGHT (IN.)	TRIBUTARY WIDTH (W) (IN.)													
		36	42	48	54	60	66	72	78	84	90	96	102	108
	78	70.0	70.0	70.0	70.0	70.0	63.6	58.3	53.8	53.8	53.8	53.8	53.8	53.8
	84	70.0	70.0	70.0	70.0	70.0	63.6	58.3	53.8	50.0	50.0	50.0	50.0	-
	90	70.0	70.0	70.0	70.0	70.0	63.6	58.3	53.8	50.0	46.7	46.7	-	-
	96	70.0	70.0	70.0	70.0	70.0	63.6	58.3	53.8	50.0	46.7	-	-	-
	102	70.0	70.0	70.0	70.0	70.0	63.6	58.3	53.8	50.0	-	-	-	-
	108	70.0	70.0	70.0	70.0	70.0	63.6	58.3	53.8	-	-	-	-	-
	114	70.0	70.0	70.0	70.0	70.0	63.6	58.3	-	-	-	-	-	-
	120	70.0	70.0	70.0	70.0	70.0	63.6	58.3	-	-	-	-	-	-
	126	70.0	70.0	70.0	70.0	70.0	63.6	-	-	-	-	-	-	-
	132	70.0	70.0	70.0	70.0	70.0	-	-	-	-	-	-	-	-
	138	70.0	70.0	70.0	70.0	70.0	-	-	-	-	-	-	-	-
	144	70.0	70.0	70.0	70.0	70.0	-	-	-	-	-	-	-	-



EURO-WALL, LLC
P.O. BOX 8007
NORTH PORT, FL 34290
PH: 888-989-3876

TITLE:
**VISTA DIRECT SET
(HVHZ) (IMPACT)**

ELEVATION & DP TABLE
MULLED UNIT

PREPARED BY:

BUILDING DROPS, INC.

1900 NE MIAMI COURT, SUITE 2-15

MIAMI, FL 33132

PH: (954)399-8478

FAX: (954)744-4738

WEB: www.buildingdrops.com



REMARKS

BY


DATE

ALT. SHAPES ADDITION

SH

10.09.25

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



FL #:

FL46965

DATE: **08.08.2024**

DWG. BY:
SH

CHK. BY:
HFN

SCALE: **NTS**


DWG. #: **EWS042**

SHEET:


4

OF 8

c:\users\sebastianherrerros\building drops, inc\building drops landing - common\projects\euro-wall, llc\fbc-24-1228 - fbc submittal - fl46965 vista direct set - hvhz shapes\dwgs\ews042.dwg
10/9/2025 5:23 PM



ANCHOR LAYOUT
THROUGH FRAME INSTALLATION
RECTANGULAR & ALT. SHAPED UNITS



ANCHOR LAYOUT
THROUGH FRAME INSTALLATION
MULLED UNITS

ANCHOR SCHEDULE				
SUBSTRATE	ANCHOR TYPE	MIN. EMBEDMENT	MIN. EDGE DISTANCE	MAX. O.C. SPACING HEAD/SILL
WOOD: MIN. SG = 0.55	#14 WOOD SCREW	1-1/2"	3/4"	14-1/2"
METAL: STEEL 18 GAUGE, MIN. Fy = 33KSI	1/4" SELF-DRILLING OR SELF-TAPPING SCREW	3 THREADS MIN PENETRATION BEYOND METAL	1/2"	14-1/2"
METAL: ALUMINUM (6063-T5) MIN 1/8" THICKNESS	1/4" SELF-DRILLING OR SELF-TAPPING SCREW	3 THREADS MIN PENETRATION BEYOND METAL	1/2"	14-1/2"
CONCRETE: f'c=3000PSI	1/4" DEWALT ULTRACON+	1-3/4"	2-1/2"	14-1/2"
MASONRY: GROUT FILLED CMU PER ASTM C90	1/4" DEWALT ULTRACON+	1-1/4"	2-1/2"	11-3/4"



EURO-WALL, LLC
P.O. BOX 8007
NORTH PORT, FL 34290
PH: 888-989-3876


TITLE: VISTA DIRECT SET
(HVHZ) (IMPACT)
ANCHOR LAYOUTS &
ANCHOR SCHEDULE

PREPARED BY:
BUILDING DROPS, INC.
1900 NE MIAMI COURT, SUITE 2-15
MIAMI, FL 33132
PH: (954)399-8478
FAX: (954)744-4738
WEB: www.buildingdrops.com



REMARKS	BY	DATE
ALT. SHAPES ADDITION	SH	10.09.25

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



FL #: **FL46965**

DATE: **08.08.2024**

DWG. BY: **SH** CHK. BY: **HFN**

SCALE: **NTS**


DWG. #: **EWS042**

SHEET:

5

OF 8


c:\users\sebastianherrerros\building drops, inc\building drops, inc\building drops, inc\projects\euro-wall, llc\fbc-24-1228 - fbc submittal - fl46965 vista direct set - hvhz shapes\dwgs\ews042.dwg 10/9/2025 5:23 PM



A
6

VERTICAL SECTION

HEAD



B
6

VERTICAL SECTION

SILL

euro-wall
SUPERIOR BY DESIGN

EURO-WALL, LLC
P.O. BOX 8007
NORTH PORT, FL 34290
PH: 888-989-3876

TITLE:
VISTA DIRECT SET
(HVHZ) (IMPACT)

VERTICAL SECTIONS


PREPARED BY:

BUILDING DROPS, INC.
1900 NE MIAMI COURT, SUITE 2-15
MIAMI, FL 33132
PH: (954)399-8478
FAX: (954)744-4738
WEB: www.buildingdrops.com



REMARKS	BY	DATE
ALT. SHAPES ADDITION	SH	10.09.25

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



FL #:

FL46965

DATE: **08.08.2024**

DWG. BY:
SH

CHK. BY:
HFN

SCALE: **NTS**


DWG. #: **EWS042**

SHEET:


6

OF 8


c:\users\sebastianherrerros\building drops, inc\building drops landing - common\projects\euro-wall, llc\fbc-24-1228 - fbc submittal - fl46965 vista direct set - hvhz shapes\dwgs\ews042.dwg
10/9/2025 5:23 PM




C
7 **HORIZONTAL SECTION**
JAMB



D
7 **HORIZONTAL SECTION**
MULLION
TYP. ORIENTATION



E
7 **HORIZONTAL SECTION**
JAMB



F
7 **HORIZONTAL SECTION**
MULLION
ALTERNATE ORIENTATION

TITLE: **VISTA DIRECT SET
(HVHZ) (IMPACT)**

HORIZONTAL SECTIONS

PREPARED BY: **BUILDING DROPS, INC.**
1900 NE MIAMI COURT, SUITE 2-15
MIAMI, FL 33132


PH: (954)399-8478
FAX: (954)744-4738

WEB: www.buildingdrops.com



REMARKS	BY	DATE
ALT. SHAPES ADDITION	SH	10.09.25

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



FL #: **FL46965**

DATE: **08.08.2024**

DWG. BY: **SH** CHK. BY: **HFN**

SCALE: **NTS**


DWG. #: **EWS042**

SHEET:


7

OF 8


c:\users\sebastianherrerros\building drops, inc\building drops, inc\projects\euro-wall, llc\fbc-24-1228 - fbc submittal - fl46965 vista direct set - hvhz shapes\dwgs\ews042.dwg
10/9/2025 5:23 PM



A
8 **ANCHOR DETAIL**
HEAD



B
8 **ANCHOR DETAIL**
SILL



C
8 **ANCHOR DETAIL**
JAMB

ANCHOR SCHEDULE			
SUBSTRATE	ANCHOR TYPE	MIN. EMBEDMENT	MIN. EDGE DISTANCE
WOOD: MIN. SG = 0.55	#14 WOOD SCREW	1-1/2"	3/4"
METAL: STEEL 18 GAUGE, MIN. Fy = 33KSI	1/4" SELF-DRILLING OR SELF-TAPPING SCREW	3 THREADS MIN PENETRATION BEYOND METAL	1/2"
METAL: ALUMINUM (6063-T5) MIN 1/8" THICKNESS	1/4" SELF-DRILLING OR SELF-TAPPING SCREW	3 THREADS MIN PENETRATION BEYOND METAL	1/2"
CONCRETE: f'c=3000PSI	1/4" DEWALT ULTRACON+	1-3/4"	2-1/2"
MASONRY: GROUT FILLED CMU PER ASTM C90	1/4" DEWALT ULTRACON+	1-1/4"	2-1/2"

TITLE: **VISTA DIRECT SET (HVHZ) (IMPACT)**

INSTALLATION DETAILS & ANCHOR SCHEDULE


PREPARED BY: **BUILDING DROPS, INC.**

1900 NE MIAMI COURT, SUITE 2-15
MIAMI, FL 33132
PH: (954)399-8478
FAX: (954)744-4738
WEB: www.buildingdrops.com



REMARKS	BY	DATE
ALT. SHAPES ADDITION	SH	10.09.25

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



FL #: **FL46965**

DATE: **08.08.2024**

DWG. BY: **SH** CHK. BY: **HFN**

SCALE: **NTS**

DWG. #: **EWS042**

SHEET: