






SECTION B-B



SECTION A-A

NOTE: ALL NON-DESCRIPTIVE FASTENERS SHOWN TO BE 1/4"-20 X 5/8" HEX BOLTS & NUTS OR 1/4" X 3/4" LONG HEX HEAD SHEET METAL SCREWS.

DOOR SIZE		P.S.F. TABLE	
		DESIGN PRESSURE	
WIDTH	HEIGHT	POSITIVE	NEGATIVE
16'-0"	7'-0"	+28.6	-31.9

USE COATED LAG SCREWS FOR TREATED LUMBER

TRACK BRACKETS MUST BE MOUNTED DIRECTLY TO A WOOD SURFACE



DOORS SHOWN ON THIS DRAWING HAVE BEEN DEMONSTRATED TO WITHSTAND THE PRESSURES LISTED IN THE TABLE ABOVE VIA TESTING TO DASMA 108. (SEE SHEET 2 FOR DASMA 115) COMPLIES WITH FBC (CURRENT EDITION). COMPLIES WITH IBC/IRC 2018 & 2021.

DETERMINATION OF SUITABILITY FOR SPECIFIC SITES IS THE RESPONSIBILITY OF OTHERS


John E Scates PE
8811 Teel Pkwy # 100-5175
Frisco, TX 75036
TX-PE 56308, F-2203
FL-PE-51737

Professional Engineer's seal provided only for verification of windload construction details.


Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.



NOTE: DOOR MUST BE INSTALLED WITH LOCKS THAT ENGAGE BOTH TRACKS.




DETAIL C



DETAIL B



DETAIL A



SECTION B-B ALTERNATE

16 X 7

					WINDSOR DOOR	5800 SCOTT HAMILTON DR. LITTLE ROCK, AR 72209 (501) 562-1872		
				MODELS: 1030, 1035				
					PART NAME: WINDLOAD RESIDENTIAL PAN DOOR W2 C			
E	Various notes added	11/7/25	JG					
D	Added sheet 2 of 2	7/14/25	JG					
C	Various	03/31/25	JG					
A	Added section B-B Alternate	12/13/24	RLB					
REV.	E.C.N.	DATE	APPROV.	SCALE NONE	PLOT SCALE	DATE: 10/3/24 DRN. BY J.G.	DWG. NO. WL-032	SHEET 1 OF 2



SHOWN ARE CHANGES REQUIRED FOR DASMA 115

16 X 7


		P.S.F. TABLE	
DOOR SIZE		DESIGN PRESSURE	
WIDTH	HEIGHT	POSITIVE	NEGATIVE
16'-0"	7'-0"	+28.6	-31.9

DOORS SHOWN ON THIS DRAWING HAVE BEEN DEMONSTRATED TO WITHSTAND THE PRESSURES LISTED IN THE TABLE ABOVE VIA TESTING TO DASMA 108 AND DASMA 115. COMPLIES WITH FBC (CURRENT EDITION). COMPLIES WITH IBC/IRC 2018 & 2021. DETERMINATION OF SUITABILITY FOR SPECIFIC SITES IS THE RESPONSIBILITY OF OTHERS

John E Scates PE
8811 Teel Pkwy # 100-5175
Frisco, TX 75036
TX-PE 56308, F-2203
FL-PE-51737

Professional Engineer's seal
provided only for verification of
windload construction details.

Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.



WINDSOR DOOR

5800 SCOTT
HAMILTON DR.
LITTLE ROCK, AR
72209
(501) 562-1872

MODELS:
1030, 1035

PART NAME:
WINDLOAD RESIDENTIAL PAN DOOR
W2 C

NEXT LEVEL

DATE:
10/3/24

DWG. NO.
WL-032

SCALE
NONE

PLOT SCALE

DRN. BY
J.G.

SHEET 2 OF 2

E	Various notes added	11/7/25	JG
D	Added sheet 2 of 2	7/14/25	JG
C	Various	03/31/25	JG
A	Added section B-B Alternate	12/13/24	RLB
REV.	E.C.N.	DATE	APPROV.