

AMORUSO CONSULTING ENG., LLC

FBPE REGISTRATION NO. 38327

226 N NOVA RD, NO. 142

ORMOND BEACH, FL 32174

FASTENERS AND CONNECTORS EXPOSED TO SALTWATER ENVIRONMENTS

installation anchors/fasteners and associated clips/connectors; if applicable; used for installation in Florida Product Approval installation instructions are subject to the requirements of the following sections of the Florida Building and Residential Codes when the products are to be installed in areas within 3000 ft. of a saltwater coastline.

- 9th Edition (2026) Florida Building Code Section 1711 – Corrosion Resistance – Saltwater Environment
- 9th Edition (2026) Florida Residential Code Section R332 – Corrosion Resistance – Saltwater Environment

Exceptions:

1. Any exceptions listed in Sections 1711 or R332 are applicable.
2. Anchors on the interior of a conditioned space.

Notes:

1. FBC Section 1711 and/or FRC Section R332 shall apply if unsure of the exposure conditions.
2. This document must be followed alongside the installation instructions uploaded with the Florida Product Approval listing that contains this document.
3. If Section 1711 and R332 are not applicable, all installation fasteners shall be corrosion resistant, and/or have a corrosion resistant coating



Digitally signed by

Robert J Amoruso

Date: 2026.10.16

09:37:41 -04'00'

Robert J. Amoruso, P.E.

Florida P.E. No. 49752