




Wausau Tile Grid System



DIRECT: 715.359.3121 | MAIN: 800.388.8728
MAILING: P.O. Box 1520, Wausau, WI 54402-1520
SHIPPING: 9001 Business Hwy 51, Rothschild, WI 54474

TERRA-GRID UNIT

The Terra-Grid Unit consists of a fire resistant and lightweight, fiberglass grate that gets placed onto our Terra-Stand and is secured with a custom made Terra-Grid Cube and bolt that securely locks to our Terra-Stand. With our uniquely designed components, there is no need for weights to keep our system and pavers safe and secure in your outdoor area. Let Wausau Tile help increase the design capabilities on your roof decks with the use of smaller pavers and patterns without the increased use of pedestals or timely labor. Our Terra-Grid is stocked and a great option for your next project.

The Terra-Grid Unit includes the Terra-Grid, bolt and cube.



TERRA-GRID CUBE UNIT

Wausau Tile's Terra-Grid Cube Unit is used to lock a Terra-Grid securely to a Terra-Stand without the use of weights. Once a level surface is created, architectural pavers of any size and configuration can safely be placed on the Terra-Grid. Made of a Grivory-GV6H glass filled nylon material and measuring 1.16" x 1.3" x 1.125", our Terra-Grid Cube is specifically designed to work with our Roof Deck Pedestal System.

The Terra-Grid Cube Unit includes Terra-Grid Cube, bolt and puck.



TERRA-STAND

Adjustable pedestal that screws up, down and tilts from side to side to provide a level surface for the paver installation.

Terra-Stand Pedestals are made of a high impact copolymer polypropylene that adjust from 3" to 21 1/2" in height, with slope compensating up to 5/8" to provide a level installation.

Outside base dimension of 7" x 7" provides contact surface of 49" square. It is installed on previously established grid lines, adjusted for height and slope and ready for installation. Load of 3,000 lbs. per pedestal.



TERRA-GRID


- Wausau Tile Fiberglass Grating, Molded, Square CHFNR-4896, Fiberglass, SGF Polyester Resin, Dark Gray, 1 1/2" Grid Height, 1 1/2" x 1 1/2" Square Grid, Grid Surface, 70% Open Area
- Fiberglass Grating 48" x 96"

TECHNICAL INFORMATION

GRID SPECIFICATIONS	
Item Number	RM20499
Production Line	Fiberglass Grating
Construction Type	Molded
Grid Shape	Square
Primary Material	Fiberglass (FG)
Resin & Type	SGF Polyester Resin (SGF)
Color	Dark Gray
Grid Height	1 1/2"
Grid Size	1 1/2" X 1 1/2" on center
Grid Thickness - Top	1/4"
Grid Thickness - Bottom	13/64"
Flame Spread Rating	Class A - Per ASTM E-84
Weight	4.90 lbs. per sq. ft.
Production Form	Panel
Size (weight x length)	48" x 96" - Sold in quantities of 32 sq. ft.

BENEFITS

- Increased design options for roof decks
 - Ability to use smaller pavers on the roof without the increased use of pedestals or labor.
- Stocked at Wausau Tile
- Lead time for larger orders = 6 to 8 weeks



INSTALLATION

- Terra-Stand pedestals should be placed on a 24" x 24" square grid.
- Once a level surface is achieved, place the Terra-Grid on top of the pedestals and Terra-Shim Plates.

EFFICIENCY MEETS INNOVATION

DISCOVER OUR NEW TERRA-GRID ROOF HATCH

**NEW
PRODUCT**



Quattro Series Pavers HBL-715 | Terra System One | Roof Deck Pedestal System | Terra-Grid Roof Hatch



TERRA-GRID ROOF HATCH

Our new Terra-Grid Roof Hatch provides convenient access to utilities and drains beneath the Terra-Grid system.

Designed specifically for use with our Thin Series pavers, the pavers are securely glued into a stainless-steel pan.


This innovative solution ensures easy and efficient access while maintaining the integrity and appearance of your rooftop paving system.

Easy Installation:

Cut a hole in the Terra-Grid, add Terra-Stands to support the grid and pan, then lock the pan into the Terra-Stands with four $\frac{3}{16}$ " screws.

Specifications:

Measures $23 \frac{13}{16}$ " x $23 \frac{13}{16}$ ", weighs 114 lbs., includes drainage holes to prevent puddling.



LEARN MORE

Premier Architectural PRODUCTS

- Architectural Pavers
- Site Furnishings
- Terrazzo Tile
- Precast Terrazzo
- Precast Concrete



EXCLUSIVELY AT

WAUSAU TILE

WausauTile.com • 800.388.8728



DIRECT: 715.359.3121 | MAIN: 800.388.8728
MAILING: P.O. Box 1520, Wausau, WI 54402-1520
SHIPPING: 9001 Business Hwy 51, Rothschild, WI 54474