


Description	Frame Size		Daylight Opening		Design Pressure (psf)	Frame Material	Installation Method
	Width (IN)	Height (IN)	Width (IN)	Height (IN)			
AIS02 INSWING HINGED DOOR	48	120	38.619	110.343	+/-60	ALUMINUM	THRU NAIL FIN

**NAIL FIN INSTALLATION
AIS02 OUTSWING DOOR**



GENERAL NOTE(S):

1. THESE UNITS HAVE BEEN TESTED, ANALYZED, HALLMARK CERTIFIED AND FBC APPROVED.
2. THE PRODUCT SHOWN HEREIN IS DESIGNED AND MANUFACTURED TO COMPLY WITH THE CURRENT EDITION FLORIDA BUILDING CODE (FBC), EXCLUDING HVHZ. THE PRODUCT HAS BEEN EVALUATED TO THE FOLLOWING.

- AAMA/WDMA/CSA 101/I.S.2/A440-11
- AAMA/WDMA/CSA 101/I.S.2/A440-17



3. THIS SCHEDULE ADDRESSES ONLY THE FASTENERS REQUIRED TO ANCHOR THE WINDOW(S) TO ACHIEVE THE RATED DESIGN PRESSURE. THOROUGHLY READ AND FOLLOW MANUFACTURERS INSTALLATION INSTRUCTIONS RECEIVED WITH UNIT. THIS GUIDE DOES NOT ADDRESS THE SEALING CONSIDERATIONS THAT MAY ARISE IN DIFFERENT WALL CONDITIONS.

PELLA CORPORATION
102 MAIN STREET, PELLA, IOWA 50219

DRAWN:	CLASS
ENGR.: RL	FILE NAME: AIS02
DATE CREATED: 2/3/2026	ECO:

TOLERANCES UNLESS OTHERWISE NOTED
.X = ± X.X
.XX = ± X.XX
.XXX = ± X.XXX
ANGLES = ± X.X°
UNITS ARE IN INCHES

TITLE: AIS02 INSWING INSTALLATION DRAWING		
PAGE 1 OF 3	DRAWING NUMBER 45-45237	REV




PELLA CORPORATION
102 MAIN STREET, PELLA, IOWA 50219

DRAWN:	CLASS
ENGR.: RL	FILE NAME: AIS02
DATE CREATED: 2/3/2026	ECO:

TOLERANCES UNLESS
OTHERWISE NOTED
.X = ± X.X
.XX = ± X.XX
.XXX = ± X.XXX
ANGLES = ± X.X°
UNITS ARE IN INCHES

TITLE: AIS02 INSWING INSTALLATION DRAWING		
PAGE 2 OF 3	DRAWING NUMBER 45-45237	REV



PELLA CORPORATION

102 MAIN STREET, PELLA, IOWA 50219

DRAWN:

ENGR.: RL

DATE CREATED:
2/3/2026

CLASS

FILE NAME: AIS02

ECO:

TOLERANCES UNLESS OTHERWISE NOTED
.X = ± X.X
.XX = ± X.XX
.XXX = ± X.XXX
ANGLES = ± X.X°
UNITS ARE IN INCHES

TITLE:

AIS02 INSWING INSTALLATION DRAWING

PAGE

3 OF 3

DRAWING NUMBER

45-45237

REV