

NOTES

1. NON-IMPACT RESISTANT OPTION - .125" MINIMUM DSB GLAZING MEETS UNIFORM STATIC DESIGN PRESSURES SHOWN ON THIS DRAWING. GLAZING SHALL HAVE A MAXIMUM HEIGHT OF 6.70" AND A MAXIMUM LENGTH OF 24.00". GLAZING IS NOT IMPACT RESISTANT AND DOES NOT MEET THE REQUIREMENTS FOR WIND-BORNE DEBRIS REGIONS.

2. IMPACT RESISTANT GLAZING OPTION - IMPACT RESISTANT GLAZING SYSTEM MAY BE INSTALLED IN INTERMEDIATE SECTIONS (WITH OR WITHOUT DECORATIVE INSERTS). GLAZING SHALL BE 1/4" POLYCARBONATE. MAXIMUM GLAZING DIMENSIONS SHALL BE 11" x 17", FASTENED WITH A MINIMUM #8 x 1" SMS: 3X ALONG THE HORIZONTAL AND 2X ALONG THE VERTICAL.

3. ALUMINUM FULL VIEW OPTION - ALUMINUM FULL VIEW SECTION MAY REPLACE ANY SECTION EXCEPT TOP AND BOTTOM PANELS. ALUMINUM FULL VIEW SECTION SHALL HAVE RAILS AND STILES OF EXTRUDED ALUMINUM ALLOY 6063-T6 WITH 2 1/4" INTEGRAL FIN AND .125" MINIMUM DSB GLAZING INSTALLED WITH ALUMINUM RETAINERS IN ORDER TO MEET UNIFORM STATIC DESIGN PRESSURES SHOWN ON THIS DRAWING. AFV PANEL SIZE IS 45.5"x21.9" (MAX). GLAZING IS NOT IMPACT RESISTANT AND DOES NOT MEET THE REQUIREMENTS FOR WIND-BORNE DEBRIS REGIONS.

4. MINIMUM OF 1" OVERLAP ON BOTH JAMBS REQUIRED TO MEET NEGATIVE DESIGN PRESSURES.

4. SLIDE LOCKS REQUIRED.

5. SECTION STEEL TO HAVE THE FOLLOWING MINIMUM THICKNESS:  
401, 402 - 20 GA  
403, 404 - 24 GA  
405, 406 - 25 GA

7. THE DESIGN OF THE SUPPORTING STRUCTURAL ELEMENTS SHALL BE THE RESPONSIBILITY OF THE PROFESSIONAL OF RECORD FOR THE BUILDING OR STRUCTURE AND IN ACCORDANCE WITH CURRENT BUILDING CODES FOR THE LOADS LISTED ON THIS DRAWING.



8. TRACK CLIPS SHALL BE LOCATED WITH CENTERLINE OF BOTTOM CLIP SPACED 10" MAX FROM BOTTOM OF TRACK AND REMAINING TRACK CLIPS SPACED AT 24" O.C. MAX. SPACING BETWEEN TOP TRACK CLIP AND SPLICE PLATE SHALL BE 30" O.C. MAX.

9. WHEN MOUNTING TO WOOD, DOOR JAMB TO BE MINIMUM 2x6 STRUCTURAL GRADE LUMBER. REFER TO JAMB CONNECTION SUPPLEMENT FOR ATTACHMENT TO SUPPORTING STRUCTURE.

SUPERIMPOSED DESIGN PRESSURE LOADS ON SUPPORTING STRUCTURE

| MAX DOOR WIDTH | DOOR HEIGHT | MAX UNIFORM LOAD EACH JAMB (PLF) |
|----------------|-------------|----------------------------------|
| 10'-4"         | ALL         | +226.6/-256.5                    |

| STATIC PRESSURE RATINGS           | APPROVED SIZES          |
|-----------------------------------|-------------------------|
| DESIGN PRESSURE(PSF): +44.0/-49.8 | MAX WIDTH: 10'-4"       |
|                                   | MAX HEIGHT: 24'-1"      |
| IMPACT/CYCLIC RATED: YES          | MAX SECTION HEIGHT: 24" |



J. CHRISTIAN VOELKEL, PE  
407 Navarre Street  
Gulf Breeze, FL 32561  
FL PE 82229  
TX PE 133174

NOTE: (4) SECTION SOLID DOOR SHOWN. SEE SHEET 2 FOR U-BAR LOCATIONS ON DOORS WITH OTHER SECTION QUANTITIES AND SEE NOTES 1 & 2 THIS SHEET FOR GLAZING OPTIONS.

Digitally signed  
by John Voelkel  
Date: 2026.07.10  
15:52:40 -05'00'

COMPLIES WITH THE REQUIREMENTS OF IBC/IRC 2024.  
COMPLIES WITH THE CURRENT EDITION OF THE FLORIDA BUILDING CODE.

| THE DRAWINGS AND ALL OTHER INFORMATION CONTAINED HEREIN ARE THE CONFIDENTIAL AND PROPRIETARY PROPERTY OF OVERHEAD DOOR CORPORATION AND ITS AFFILIATED COMPANIES. THIS DRAWING AND INFORMATION, IN WHOLE OR IN PART, MAY NOT BE COPIED IN ANY MANNER OR DISCLOSED TO ANYONE WITHOUT THE PRIOR WRITTEN CONSENT OF OVERHEAD DOOR CORPORATION. NO DISCLOSURE OF ANY OF THIS DRAWING OR INFORMATION IS INTENDED TO OPERATE AS A LICENSE OR AUTHORIZATION TO USE IT FOR ANY PURPOSE WITHOUT THE SPECIFIC WRITTEN CONSENT OF OVERHEAD DOOR CORPORATION. |         |                        |                                       |                |                       |                                             |                           |                   |                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|------------------------|---------------------------------------|----------------|-----------------------|---------------------------------------------|---------------------------|-------------------|---------------------------------------------------------------------------------------------------------------|
| REF DWG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | USED ON | THIRD ANGLE PROJECTION | TOLERANCES UNLESS OTHERWISE SPECIFIED |                | FINISH<br>N/A         | The Genuine. The Original.<br>OVERHEAD DOOR | NAME<br>LEWISVILLE, TEXAS | DATE<br>1/29/2026 | DRAWING TITLE:<br>WINDLOAD, OPTION CODE 2075<br>SERIES 401/402/403/404/405/406,<br>44.0/-49.8 PSF, 10'-4" MAX |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |                        | HOLE DIAMETER                         | WHOLE NUMBERS: |                       |                                             |                           |                   |                                                                                                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |                        | UNDER .251 +.004/--.003               | ± .25          | UNIT OF MEASURE<br>EA | MATERIAL:<br>N/A                            | DRAWN BY:<br>S WOLFF      |                   | DRAWING NUMBER<br>D-413155                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |                        | .251 TO .500 +.006/--.003             | ± .1           |                       |                                             |                           |                   |                                                                                                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |                        | OVER .500 +.008/--.003                | ± .03          |                       |                                             | CHECKED BY:<br>T CLARK    |                   | SCALE:<br>N/A                                                                                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |                        | FRACTIONS                             | ± .010         |                       |                                             |                           |                   |                                                                                                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |                        | ± 1/16                                | ± .5*          |                       |                                             | APPROVED BY:<br>-         |                   | SHEET 1 OF 3                                                                                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |                        |                                       |                |                       |                                             |                           |                   |                                                                                                               |



D

C

B


A

D









C

B

A



ALUMINUM FULL VIEW FRAME




IMPACT WINDOW / ALUMINUM FRAME WITH GROOVED POLYCARBONATE

SEAL ON PAGE 1

| STATIC PRESSURE RATINGS           | APPROVED SIZES          |
|-----------------------------------|-------------------------|
| DESIGN PRESSURE(PSF): +44.0/-49.8 | MAX WIDTH: 10'-4"       |
|                                   | MAX HEIGHT: 24'-1"      |
| IMPACT/CYCLIC RATED: YES          | MAX SECTION HEIGHT: 24' |

J. CHRISTIAN VDELKEL, PE  
407 Navarre Street  
Gulf Breeze, FL 32561  
FL PE 82229  
TX PE 133174

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |                                                                                                                                                                                                                                   |                                       |                      |                 |                                                                                                                                                 |                |           |                                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------|---------------------------------------------------------------|
| THE DRAWINGS AND ALL OTHER INFORMATION CONTAINED HEREIN ARE THE CONFIDENTIAL AND PROPRIETARY PROPERTY OF OVERHEAD DOOR CORPORATION AND ITS AFFILIATED COMPANIES. THIS DRAWING AND INFORMATION, IN WHOLE OR IN PART, MAY NOT BE COPIED IN ANY MANNER OR DISCLOSED TO ANYONE WITHOUT THE PRIOR WRITTEN CONSENT OF OVERHEAD DOOR CORPORATION. NO DISCLOSURE OF ANY OF THIS DRAWING OR INFORMATION IS INTENDED TO OPERATE AS A LICENSE OR AUTHORIZATION TO USE IT FOR ANY PURPOSE WITHOUT THE SPECIFIC WRITTEN CONSENT OF OVERHEAD DOOR CORPORATION. |         |                                                                                                                                                                                                                                   |                                       |                      |                 |                                                                                                                                                 |                |           |                                                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         | <br>THIRD ANGLE PROJECTION<br><br>ASME Y14.100 AND Y14.5<br>APPLY, UNLESS OTHERWISE<br>SPECIFIED. DIMENSIONS ARE<br>IN U.S. CUSTOMARY UNITS. | TOLERANCES UNLESS OTHERWISE SPECIFIED |                      | FINISH          | <br>The Genuine. The Original.<br><br>LEWISVILLE,<br>TEXAS | NAME           | DATE      | DRAWING TITLE:                                                |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |                                                                                                                                                                                                                                   | HOLE DIAMETER                         | WHOLE NUMBERS: ± .25 | N/A             |                                                                                                                                                 | S WOLFF        | 1/29/2026 | WINDLAD, OPTION CODE 2075                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |                                                                                                                                                                                                                                   | UNDER .251 +.004/--.003               | .X ± .1              | UNIT OF MEASURE |                                                                                                                                                 | T CLARK        | -         | SERIES 401/402/403/404/405/406,<br>44.0/-49.8 PSF, 10'-4" MAX |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |                                                                                                                                                                                                                                   | .251 TO .500 +.006/--.003             | .XX ± .03            |                 |                                                                                                                                                 |                |           |                                                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         | OVER .500 +.008/--.003                                                                                                                                                                                                            | .XXX ± .010                           | EA                   | N/A             | -                                                                                                                                               | DRAWING NUMBER | D-413155  |                                                               |
| REF DWG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | USED ON |                                                                                                                                                                                                                                   | FRACTIONS                             | ANGLES: ± .5°        |                 |                                                                                                                                                 | APPROVED BY:   |           | SCALE: N/A                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |                                                                                                                                                                                                                                   | ± 1/16                                |                      |                 |                                                                                                                                                 | -              |           | SHEET 3 OF 3                                                  |