


YKK AP AMERICA RESIDENTIAL

STYLEVIEW CLASSIC DOUBLE HUNG WINDOW

(NON-HVHZ) (NON-IMPACT)

GENERAL NOTES:

- THE PRODUCT SHOWN HEREIN IS DESIGNED AND MANUFACTURED TO COMPLY WITH THE CURRENT EDITION FLORIDA BUILDING CODE (FBC), **EXCLUDING** HVHZ AND HAS BEEN EVALUATED ACCORDING TO THE FOLLOWING:
 - AAMA/WDMA/CSA 101/I.S.2/A440-17
- ADEQUACY OF THE EXISTING STRUCTURAL CONCRETE/MASONRY, 2X FRAMING AND METAL STUD FRAMING AS A MAIN WIND FORCE RESISTING SYSTEM CAPABLE OF WITHSTANDING AND TRANSFERRING APPLIED PRODUCT LOADS TO THE FOUNDATION IS THE RESPONSIBILITY OF THE ENGINEER OR ARCHITECT OF RECORD FOR THE PROJECT OF INSTALLATION.
- 1X AND 2X BUCKS (WHEN USED) SHALL BE DESIGNED AND ANCHORED TO PROPERLY TRANSFER ALL LOADS TO THE STRUCTURE. BUCK DESIGN AND INSTALLATION IS THE RESPONSIBILITY OF THE ENGINEER OR ARCHITECT OF RECORD FOR THE PROJECT OF INSTALLATION.
- THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.
- APPROVED IMPACT PROTECTIVE SYSTEM **IS REQUIRED** ON THIS PRODUCT IN AREAS REQUIRING IMPACT RESISTANCE.
- WINDOW FRAME MATERIAL: PVC
- DESIGNATIONS "X" AND "O" STAND FOR THE FOLLOWING:
 - X: OPERABLE VENT
 - O: FIXED VENT
- GLAZING SHALL MEET ASTM E1300 REQUIREMENTS, SEE SHEET 1 FOR GLAZING DETAIL.



GLAZING DETAIL 1

TABLE OF CONTENTS	
SHEET	SHEET DESCRIPTION
1	GENERAL NOTES & GLAZING DETAIL
2	ELEVATIONS AND ANCHOR LAYOUTS
3	ELEVATIONS AND ANCHOR LAYOUTS
4	ELEVATION AND ANCHOR LAYOUT
5	VERTICAL SECTIONS
6	HORIZONTAL SECTIONS
7	HORIZONTAL SECTIONS AND REINFORCEMENT TABLE
8	INSTALLATION NOTES, ANCHOR DETAILS, & ANCHOR SCHEDULE

DESIGN PRESSURE TABLE								
UNIT	MAX. FRAME SIZE		MAX. D.L.O.		DESIGN PRESSURE	CONFIGURATION	INSTALLATION METHOD	IMPACT RATING
	WIDTH	HEIGHT	WIDTH	HEIGHT				
1	47 1/2"	71 1/2"	41 11/32"	32 9/32"	+35/-35 PSF	"X/X"	NAIL FIN	NOT RATED
2	47 1/2"	49 1/2"	41 11/32"	21 9/32"	+50/-50 PSF	"X/X"	NAIL FIN	NOT RATED
3	43 1/2"	71 1/2"	37 11/32"	32 9/32"	+50/-50 PSF	"X/X"	NAIL FIN	NOT RATED
4	29 1/2"	73 1/2"	23 11/32"	33 9/32"	+50/-50 PSF	"X/X"	NAIL FIN	NOT RATED
5	39 1/2"	73 1/2"	33 11/32"	33 9/32"	+50/-50 PSF	"X/X"	NAIL FIN	NOT RATED
6	119 1/2"	73 1/2"	33 11/32"	33 9/32"	+35/-35 PSF	"X/X-X/X-X/X"	NAIL FIN	NOT RATED
7	119 1/2"	73 1/2"	33 11/32"	33 9/32"	+50/-50 PSF	"X/X-X/X-X/X"	NAIL FIN	NOT RATED
8	79 1/2"	71 1/2"	33 11/32"	32 9/32"	+50/-50 PSF	"X/X-X/X" FACTORY MULLION	NAIL FIN	NOT RATED

- GLAZING NOTES:
- GLASS TYPE SHALL COMPLY WITH ASTM E1300 REQUIREMENTS. TEMPER AND SAFETY GLAZING REQUIREMENTS SHALL BE REVIEWED ON A SITE SPECIFIC BASIS.
 - SETTING BLOCK DUROMETER HARDNESS OF 70-90 (SHORE A) AS REFERENCED IN FBC CHAPTER 24.
 - SETTING BLOCKS TO BE LOCATED AT 1/4 SPAN LENGTH FOR GLASS WIDER THAN 36" AS PER FBC CHAPTER 24.
 - D.L.O. AND DESIGN PRESSURES MAY NOT EXCEED MAX VALUES SHOWN HEREIN.

YKK

ap

Quality
inspires™

YKK AP AMERICA RESIDENTIAL

101 MARIETTA STREET NW, SUITE 2100
ATLANTA, GA 30303
PH: (678) 838-6000

TITLE:
STYLEVIEW CLASSIC
DOUBLE HUNG WINDOW
(NON-HVHZ) (NON-IMPACT)

GENERAL NOTES & GLAZING DETAIL

PREPARED BY:

BUILDING DROPS, INC.

1900 NE MIAMI CT, SUITE 2-15
MIAMI, FL 33132
PH: (954) 399-8478
FAX: (954) 744-4738
WEB: www.buildingdrops.com

B.D.

BUILDING DROPS

REMARKS	BY	DATE
40"X74" ADDITION	DB	03/25
REINFORCEMENT REV.	LS	05/27

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.

Digitally signed by Hermes F. Norero, P.E.
Reason: I am approving this document
Date: 2026.03.20 16:49:49 -0400

HERMES F. NORERO

LICENSE

No. 73778

STATE OF FLORIDA

PROFESSIONAL ENGINEER

HERMES F. NORERO, P.E.

YKK AP AMERICA RESIDENTIAL

BUILDING DROPS, INC.

1900 NE MIAMI CT, SUITE 2-15
MIAMI, FL 33132
FBPE CERT. OF AUTHORIZATION No. 29578

FL #:

FL7533

DATE: 11.27.2023

DWG. BY:
SH

CHK. BY:
HFN

SCALE: NTS


DWG. #: YKK294

SHEET:


1

OF 8


c:\users\lucianosanchez\building drops, inc\building drops\landing - documents\common\projects\ykk ap america, inc\fbc-26-0534 - residential products - reinforcement revision\dwgs\double hung\ykk294.dwg
5/27/2026 10:51 AM




ELEVATION
DOUBLE HUNG WINDOW
DP35




ELEVATION
DOUBLE HUNG WINDOW
DP50




ELEVATION
DOUBLE HUNG WINDOW
DP50



ANCHOR LAYOUT
NAILING FIN



ANCHOR LAYOUT
NAILING FIN



ANCHOR LAYOUT
NAILING FIN




YKK AP AMERICA RESIDENTIAL
101 MARIETTA STREET NW, SUITE 2100
ATLANTA, GA 30303
PH: (678) 838-6000

TITLE: STYLEVIEW CLASSIC
DOUBLE HUNG WINDOW
(NON-HVHZ) (NON-IMPACT)
ELEVATIONS AND ANCHOR LAYOUTS
PREPARED BY: BUILDING DROPS, INC.
1900 NE MIAMI CT, SUITE 2-15
MIAMI, FL 33132
PH: (954) 399-8478
FAX: (954) 744-4738
WEB: www.buildingdrops.com


REMARKS	BY	DATE
40"X74" ADDITION	DB	03/25
REINFORCEMENT REV.	LS	05/27

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.




FL #:	FL7533
DATE:	11.27.2023
DWG. BY:	SH
CHK. BY:	HFN
SCALE:	NTS
DWG. #:	YKK294
SHEET:	2


c:\users\lucianosanchez\building drops, inc\building drops\landing - documents\common\projects\ykk ap america, inc\fbc-26-0534 - residential products - reinforcement revision\dwgs\double hung\ykk294.dwg
5/27/2026 10:51 AM




ELEVATION
DOUBLE HUNG WINDOW
DP50




ELEVATION
DOUBLE HUNG WINDOW
DP50




ELEVATION
FACTORY MULLED DOUBLE HUNG WINDOW
DP50



ANCHOR LAYOUT
NAILING FIN



ANCHOR LAYOUT
NAILING FIN



ANCHOR LAYOUT
NAILING FIN



YKK AP AMERICA RESIDENTIAL
101 MARIETTA STREET NW, SUITE 2100
ATLANTA, GA 30303
PH: (678) 838-6000

TITLE: **STYLEVIEW CLASSIC**
DOUBLE HUNG WINDOW
(NON-HVHZ) (NON-IMPACT)


ELEVATIONS AND ANCHOR LAYOUTS

PREPARED BY: **BUILDING DROPS, INC.**
1900 NE MIAMI CT, SUITE 2-15
MIAMI, FL 33132
PH: (954) 399-8478
FAX: (954) 744-4738
WEB: www.buildingdrops.com




REMARKS	BY	DATE
40"X74" ADDITION	DB	03/25
REINFORCEMENT REV.	LS	05/27

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.




FL #:	FL7533
DATE:	11.27.2023
DWG. BY:	SH
CHK. BY:	HFN
SCALE:	NTS
DWG. #:	YKK294
SHEET:	3

c:\users\lucianosanchez\building drops, inc\building drops\landing - documents\common\projects\ykk ap america, inc\fbc-26-0534 - residential products - reinforcement revision\dwgs\double hung\ykk294.dwg 5/27/2026 10:51 AM



ELEVATION
TRIPLE DOUBLE HUNG WINDOW
DP35 OR DP50



ANCHOR LAYOUT
NAILING FIN



Quality
inspires™

YKK AP AMERICA RESIDENTIAL
101 MARIETTA STREET NW, SUITE 2100
ATLANTA, GA 30303
PH: (678) 838-6000

TITLE: **STYLEVIEW CLASSIC
DOUBLE HUNG WINDOW
(NON-HVHZ) (NON-IMPACT)**


ELEVATION AND ANCHOR LAYOUT

PREPARED BY: **BUILDING DROPS, INC.**
1900 NE MIAMI CT, SUITE 2-15
MIAMI, FL 33132
PH: (954) 399-8478
FAX: (954) 744-4738
WEB: www.buildingdrops.com



REMARKS	BY	DATE
40"X74" ADDITION	DB	03/25
REINFORCEMENT REV.	LS	05/27

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



HERMES F. NORERO, P.E.
BUILDING DROPS, INC.
1900 NE MIAMI CT, SUITE 2-15
MIAMI, FL 33132
FBPE CERT. OF AUTHORIZATION No. 29578

FL #:

FL7533

DATE:

11.27.2023

DWG. BY:

SH

CHK. BY:

HFN

SCALE:

NTS

DWG. #:


YKK294

SHEET:


4

OF 8


c:\users\lucianosanchez\building drops, inc\building drops, inc\documents\common\projects\ykk ap america, inc\fbc-26-0534 - residential products - reinforcement revision\dwgs\double hung\ykk294.dwg 5/27/2026 10:51 AM



A
5 VERTICAL SECTION
HEAD



B
5 VERTICAL SECTION
INTERLOCK RAIL



C
5 VERTICAL SECTION
SILL

*NOTE: SEE SHEET 7 FOR REINFORCEMENT TABLE.



Quality
inspires™

YKK AP AMERICA RESIDENTIAL
101 MARIETTA STREET NW, SUITE 2100
ATLANTA, GA 30303
PH: (678) 838-6000

TITLE:
STYLEVIEW CLASSIC
DOUBLE HUNG WINDOW
(NON-HVHZ) (NON-IMPACT)

VERTICAL SECTIONS


PREPARED BY:
BUILDING DROPS, INC.
1900 NE MIAMI CT, SUITE 2-15
MIAMI, FL 33132
PH: (954) 399-8478
FAX: (954) 744-4738
WEB: www.buildingdrops.com



BUILDING DROPS

REMARKS	BY	DATE
40"X74" ADDITION	DB	03/25
REINFORCEMENT REV.	LS	05/27

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



HERMES F. NORERO, P.E.
BUILDING DROPS, INC.
1900 NE MIAMI CT, SUITE 2-15
MIAMI, FL 33132
FBPE CERT. OF AUTHORIZATION No. 29578

FL #:
FL7533

DATE: **11.27.2023**

DWG. BY:
SH


CHK. BY:
HFN

SCALE: **NTS**


DWG. #: **YKK294**

SHEET:
5
OF 8


c:\users\lucianosanchez\building drops, inc\building drops\landing - documents\common\projects\ykk ap america, inc\fbc-26-0534 - residential products - reinforcement revision\dwgs\double hung\ykk294.dwg
5/27/2026 10:51 AM



D
6 **HORIZONTAL SECTION**
LEFT JAMB - TOP VENT




E
6 **HORIZONTAL SECTION**
MULLION




F
6 **HORIZONTAL SECTION**
RIGHT JAMB - TOP VENT


*NOTE: SEE SHEET 7 FOR REINFORCEMENT TABLE.



G
6 **HORIZONTAL SECTION**
LEFT JAMB - BOTTOM VENT



H
6 **HORIZONTAL SECTION**
MULLION



I
6 **HORIZONTAL SECTION**
RIGHT JAMB - BOTTOM VENT



YKK AP AMERICA RESIDENTIAL
101 MARIETTA STREET NW, SUITE 2100
ATLANTA, GA 30303
PH: (678) 838-6000


TITLE: STYLEVIEW CLASSIC DOUBLE HUNG WINDOW (NON-HVHZ) (NON-IMPACT) HORIZONTAL SECTIONS

PREPARED BY: BUILDING DROPS, INC.
1900 NE MIAMI CT, SUITE 2-15
MIAMI, FL 33132
PH: (954) 399-8478
FAX: (954) 744-4738
WEB: www.buildingdrops.com



REMARKS	BY	DATE
40"X74" ADDITION	DB	03/25
REINFORCEMENT REV.	LS	05/27

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



HERMES F. NORERO, P.E.
BUILDING DROPS, INC.
1900 NE MIAMI CT, SUITE 2-15
MIAMI, FL 33132
FBPE CERT. OF AUTHORIZATION No. 29578

FL #:

FL7533

DATE: **11.27.2023**


DWG. BY: SH	CHK. BY: HFN
--------------------	---------------------

SCALE: **NTS**

DWG. #: **YKK294**

SHEET: **6**


OF 8



J
7

HORIZONTAL SECTION

FACTORY MULLION



K
7

HORIZONTAL SECTION

FACTORY MULLION

REINFORCEMENT SCHEDULE		
UNIT	LOCATION	REINFORCEMENT PART#
1	MEETING RAIL (TOP VENT)	E9-5571D
	MEETING RAIL (BOTTOM VENT)	E9-5502D
	STILE (TOP VENT)	E9-5571D
	STILE (BOTTOM VENT)	E9-5502D
2	MEETING RAIL (TOP VENT)	E9-5571D
	MEETING RAIL (BOTTOM VENT)	E9-5502D
3	MEETING RAIL (TOP VENT)	E9-5571D
	MEETING RAIL (BOTTOM VENT)	E1-5033
	STILE (TOP VENT)	E9-5571D
	STILE (BOTTOM VENT)	E9-5502D
4	STILE (TOP VENT)	E9-5571D
	STILE (BOTTOM VENT)	E9-5502D
5	MEETING RAIL (TOP VENT)	E9-5571D
	MEETING RAIL (BOTTOM VENT)	E9-5502D
	STILE (TOP VENT)	E9-5571D
	STILE (BOTTOM VENT)	E9-5502D
6	MEETING RAIL (TOP VENT)	E9-5571D
	STILE (TOP VENT)	E9-5571D
	STILE (BOTTOM VENT)	E9-5502D
7	MULLION	E9-5551D
	MEETING RAIL (TOP VENT)	E9-5571D
	MEETING RAIL (BOTTOM VENT)	E9-5502D
	STILE (TOP VENT)	E9-5571D
	STILE (BOTTOM VENT)	E9-5502D
	MULLION	E9-5551D
8	MULLION	E9-5552D
	MEETING RAIL (TOP VENT)	E9-5571D
	STILE (TOP VENT)	E9-5571D
	STILE (BOTTOM VENT)	E9-5502D



Quality
inspires™

YKK AP AMERICA RESIDENTIAL

101 MARIETTA STREET NW, SUITE 2100
ATLANTA, GA 30303
PH: (678) 838-6000


TITLE:
STYLEVIEW CLASSIC
DOUBLE HUNG WINDOW
(NON-HVHZ) (NON-IMPACT)
HORIZONTAL SECTIONS &
REINFORCEMENT TABLE

PREPARED BY:
BUILDING DROPS, INC.
1900 NE MIAMI CT, SUITE 2-15
MIAMI, FL 33132
PH: (954)399-8478
FAX: (954)744-4738
WEB: www.buildingdrops.com



REMARKS	BY	DATE
40"X74" ADDITION	DB	03/25
REINFORCEMENT REV.	LS	05/27

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



HERMES F. NORERO, P.E.
BUILDING DROPS, INC.
1900 NE MIAMI CT, SUITE 2-15
MIAMI, FL 33132
FBPE CERT. OF AUTHORIZATION No. 29578

FL #:
FL7533

DATE: **11.27.2023**


DWG. BY: **SH**CHK. BY: **HFN**

SCALE: **NTS**


DWG. #: **YKK294**

SHEET:


c:\users\lucianosanchez\building drops, inc\building drops, inc\common\projects\ykk ap america, inc\lbc-26-0534 - residential products - reinforcement revision\dwgs\double hung\ykk294.dwg 5/27/2026 10:51 AM



A
8 **VERTICAL SECTION**
HEAD INSTALLATION



B
8 **VERTICAL SECTION**
SILL INSTALLATION



C
8 **HORIZONTAL SECTION**
JAMB INSTALLATION

INSTALLATION NOTES:

- ONE (1) INSTALLATION ANCHOR IS REQUIRED AT EACH ANCHOR LOCATION SHOWN.
- INSTALL INDIVIDUAL INSTALLATION ANCHORS WITHIN A TOLERANCE OF $\pm 1/2$ INCH THE DEPICTED LOCATION & SPACING IN THE ANCHOR LAYOUT DETAILS (I.E., WITHOUT CONSIDERATION OF TOLERANCES). TOLERANCES ARE NOT CUMULATIVE FROM ONE INSTALLATION ANCHOR TO THE NEXT.
- SHIM AS REQUIRED IN ORDER TO ACHIEVE SQUARE AND PLUMB INSTALLATION WITH LOAD BEARING SHIM(S). MAXIMUM ALLOWABLE SHIM STACK TO BE 1/4 INCH. SHIM WHERE SPACE OF 1/16 INCH OR GREATER OCCURS. SHIM(S) SHALL BE CONSTRUCTED OF HIGH DENSITY PLASTIC OR BETTER.
- MINIMUM EMBEDMENT AND EDGE DISTANCE EXCLUDE WALL FINISHES, INCLUDING BUT NOT LIMITED TO STUCCO, FOAM, BRICK VENEER, AND SIDING.
- INSTALLATION ANCHORS AND ASSOCIATED HARDWARE MUST BE MADE OF CORROSION RESISTANT MATERIAL OR HAVE A CORROSION RESISTANT COATING.
- INSTALLATION ANCHORS SHALL BE INSTALLED IN ACCORDANCE WITH ANCHOR MANUFACTURER'S INSTALLATION INSTRUCTIONS, AND ANCHORS SHALL NOT BE USED IN SUBSTRATES WITH STRENGTHS LESS THAN THE MINIMUM STRENGTH SPECIFIED BY THE ANCHOR MANUFACTURER.

ANCHOR SCHEDULE				
METHOD	SUBSTRATE	ANCHOR SCHEDULE	MIN. EMBEDMENT	MIN. EDGE DISTANCE
NAIL-FIN	WOOD: MIN. SG = 0.55	#10 WOOD SCREW	1.50"	0.75"
	METAL: 18 GAUGE STEEL, MIN. Fy = 33KSI ALUMINUM: 1/8" MIN., 6063-T5	#10 SELF-DRILLING SCREW	3 THREADS MIN PENETRATION BEYOND STRUCTURE	0.50"



Quality
inspires™

YKK AP AMERICA RESIDENTIAL
101 MARIETTA STREET NW, SUITE 2100
ATLANTA, GA 30303
PH: (678) 838-6000

TITLE:
STYLEVIEW CLASSIC
DOUBLE HUNG WINDOW
(NON-HVHZ) (NON-IMPACT)


INSTALLATION NOTES, ANCHOR DETAILS,
& ANCHOR SCHEDULE

PREPARED BY:
BUILDING DROPS, INC.
1900 NE MIAMI CT, SUITE 2-15
MIAMI, FL 33132
PH: (954)399-8478
FAX: (954)744-4738
WEB: www.buildingdrops.com

**BUILDING DROPS**

REMARKS	BY	DATE
40"X74" ADDITION	DB	03/25
REINFORCEMENT REV.	LS	05/27

THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.



HERMES F. NORERO
LICENSE
No. 73778
STATE OF
FLORIDA
PROFESSIONAL ENGINEER
HERMES F. NORERO, P.E.
BUILDING DROPS, INC.
1900 NE MIAMI CT, SUITE 2-15
MIAMI, FL 33132
FBPE CERT. OF AUTHORIZATION No. 29578

FL #:
FL7533

DATE: **11.27.2023**

DWG. BY:
SH

CHK. BY:
HFN

SCALE: **NTS**

DWG. #: **YKK294**

SHEET:

8

OF 8