Engineering Evaluation Report # 3500-08172026

Prepared by:
A. Lynn Miller, P.E.
3400 Precision Dr.
N. Venice, FL 34275
(941) 480-1600
Registration Number: 29296

Manufacturer:
MI Windows and Doors
650 West Market Street
Gratz, PA 17030
(717) 365-3300

Product Description:
Series 3500 PW Vinyl Fixed Window – Nonimpact Resistant – FL 18644

Compliance:
The above-mentioned product has been evaluated for compliance with the requirements of the current Florida Building Code.

Supporting Technical Documentation:
Approval Document: drawing number 3500PW-NI, signed and sealed by A. Lynn Miller, P.E.

Anchor Calculations signed and sealed by A. Lynn Miller, P.E., dated 7/30/26 & 8/17/26.

Test Reports:
Report No.: B9102.01-109-47 & D3210.01-109-47
Architectural Testing, Inc. York, PA, Signed by Michael D. Stremmel, P.E.
Report No.: F1910.01-109-47
Architectural Testing, Inc. York, PA, Signed by Timothy J. McGill
AAMA/WDMA/CSA 101/I.S.2/A440

Limitations and Conditions of use:
- Units must be glazed per ASTM E1300-24, refer to approval document for glazing details.
- This product is NOT rated to be used in the HVHZ.
- This product is NOT impact resistant and does require impact protection in wind borne debris regions.
- Frame and sash material to be extruded vinyl.
- Units must be installed in accordance with Approval Documents.

Certification of Independence:
A. Lynn Miller, P.E., is employed by MITER Brands and therefore has a financial interest in the company or any company manufacturing or distributing products for which this report is being issued, but does not, nor will acquire a financial interest in any other entity involved in the approval process of this product.