

Manufacturer:

Winco Window Co.
6200 Maple Ave.
St. Louis, MO 63130

Product Line:

1150 \ 1150S Casement Window Muller to Fixed Window - 8800 interior Human Impact Muller Fixed

Product Description:

Architectural Aluminum Window. Frame made from 6063-T6 Aluminum. Insulated Glass, large fixed lite, outboard to inboard, consisting of 1/4" HS - 3/8" Air - 3/16" HS \ 0.090 Kuraray Sentry Glass laminate \ 3/16" HS. Insulated Glass, small fixed lite and operable vent lite, outboard to inboard, consisting of 1/4" HS - 3/8" Air - 3/16" HS \ 0.180 Kuraray Sentry Glass laminate \ 3/16" HS.

Interior Human Impact sash. Frame made from 6063-T6 Aluminum. Interior fixed lite consisting of 1/2" Polycarbonate.

Compliance:

The above product has been evaluated for compliance with the requirements of the Florida Department of Business and Professional Regulation for Statewide Acceptance per Rule 61G20-3.006. The product herein complies with the Florida Building Code 7th Edition (2020). Not applicable for Human Impact sash.

Documentation:

1. Lab No: 8370
Project No: 14-5558
Fenestration Testing Laboratory, Inc.
Medley, FL
2. Lab No: N/A
Project No: 180321
Mid America Testing Laboratory, Inc.
Catawissa, MO
3. Anchor Calculations prepared, signed, and sealed by Wayne Helmila, PE
4. Drawings titled 1150 \ 1150S prepared, signed, and sealed by Wayne Helmila, PE


RICE
ENGINEERING

105 School Creek Trail
Luxemburg, WI 54217
Phone: (920) 617-1042
Fax: (920) 617-1100
www.rice-inc.com

Florida Firm No: F-01000005061
Certificate of Authorization: #9090
Wayne K. Helmila
Registration No: 59092

Codes & Limitations:

1. ASTM E330-14 +/- 70 psf
2. ASTM E1886-13a +/- 70 psf
3. ASTM E1996-14a 9# @ 80 ft/s
4. AAMA 506-16
5. AAMA 450-10
6. ASTM E1300-12
7. Max. window size 95" x 83"
8. Max. design pressure +/- 70 psf
9. Product is approved for large missile impact protection.
10. Product is not approved for use in HVHZ zones.
11. Units must be installed in accordance with manufacturer instructions.



08/23/2022
COA: 9090

Certificate of Independence:

I certify that I do not have nor will acquire a financial interest in any company manufacturing or distributing the product(s) for which this report is being issued. Additionally, I do not have nor will acquire a financial interest in any other entity involved in the approval process of the listed product(s).