

Manufacturer: All American Window Company, LLC.
1930 Hanahan Rd. Suite 1400A
North Charleston, SC 29406

Product Line: 1900 SH Single Hung Window 40"x63" Non-impact

Compliance:

The product listed herein complies with requirements of the current Florida Building Code.

Supporting Technical Documentation:

1. Approval document: drawing number 08-03176 Revision B, prepared, signed and sealed by Luis Roberto Lomas P.E.
2. Test report No.: B7009.01-109-47 signed by Timothy J. McGill.
Architectural Testing, Inc. York, PA.
AAMA/WDMA/CSA 101/I.S.2/A440
Design Pressure: ± 35.09 psf
Water penetration resistance: 5.43psf
3. Test report No.: B8184.01-109-47 signed by Timothy J. McGill.
Architectural Testing, Inc. York, PA.
AAMA/WDMA/CSA 101/I.S.2/A440
Design Pressure: ± 25.06 psf
Water penetration resistance: 3.76psf
4. Test report No.: 1152.01-106-11 signed and sealed by Michael D. Stremmel P.E.
Molimo, LLC, York, PA.
AAMA/WDMA/CSA 101/I.S.2/A440
Design Pressure: ± 50.13 psf
Water penetration resistance: 7.52psf
5. Anchor calculations, report number 514097-1A, prepared, signed and sealed by Luis Roberto Lomas P.E.
6. Comparative analysis, report number 514097-2, prepared, signed, and sealed by Luis Roberto Lomas P.E.

Limitations and Conditions of use:

- Design pressure: Refer to approval drawing.
- Unit size: Refer to approval drawing.
- Units must be glazed per ASTM E1300.
- This product is not rated to be used in the HVHZ.
- This product is not impact resistant and requires impact protection in wind borne debris regions.

Installation:

Units must be installed in accordance with manufacturer's installation instructions and approval document, 08-03176, Revision B.

When the product specified herein is installed within 3000 ft. of a saltwater coastline, all anchors and clips must comply with saltwater environment corrosion resistance requirements of FBC Chapter 17.

Certification of Independence:

Please note that I do not have nor will acquire a financial interest in any company manufacturing or distributing the product(s) for which this report is being issued. Also, I do not have nor will acquire a financial interest in any other entity involved in the approval process of the listed product(s).

