

398 E DANIA BEACH BLVD. SUITE 338, DANIA BEACH, FL 33004

# **Product Evaluation Report**

of

Croft, LLC. "Series 60 Sliding Glass Door" (Non-Impact) (Non-HVHZ)

## for

**Florida Product Approval** 

# FL# FL29195

## Report No. 7969

### **Current Florida Building Code**

Method: Category: Sub – Category: 1 – A (Certificate Method) Exterior Doors Sliding Exterior Door Assemblies


Product: Material: Product Dimensions: Series 60 Sliding Glass Door PVC See Installation Instructions, CRF022

### **Prepared For:**

Croft, LLC. P.O. Box 826 McComb, MS 39649

**Prepared By:** 

Hermes F. Norero, P.E. Florida Professional Engineer # 73778 Date: 04/11/2022 <u>Contents:</u> Evaluation Report Pages 1 – 3



Hermes F. Norero, P.E. Florida No. 73778



 FL#:
 FL29195

 Date:
 4/11/2022

 Report No:
 7969

398 E DANIA BEACH BLVD. SUITE 338, DANIA BEACH, FL 33004

Manufacturer:	Croft, LLC.	
Product Category:	Exterior Doors	
Product Sub-Category:	Sliding Exterior Door Assemblies	
Compliance Method:	State Product Approval Method (1)(a)	
Product Name:	Series 60 Sliding Glass Door (Non-Impact) (Non-HVHZ)	
•	duct Evaluation Report issued by Hermes F. Norero, P.E. (FL # 73778) for	

Scope:This is a Product Evaluation Report issued by Hermes F. Norero, P.E. (FL # 73778) for Croft, LLC. based<br/>on Method 1a of the State of Florida Product Approval, Department of Business and Professional<br/>Regulation - Florida Building Commission.

Hermes F. Norero, P.E. does not have nor will acquire financial interest in the company manufacturing or distributing the product or in any other entity involved in the approval process of the product named herein.

This product has been evaluated for use in locations adhering to the Current Florida Building Code.

See Installation Instructions **CRF022**, signed and sealed by Hermes F. Norero, P.E. (FL # 73778) for specific use parameters.

### Limits of Use:

- 1. This product has been evaluated and is in compliance with the Current Florida Building Code, <u>excluding</u> the "High Velocity Hurricane Zone" (HVHZ).
- 2. Product anchors shall be as listed and spaced as shown on details. Anchor embedment into substrate material shall be beyond wall dressing or stucco.
- 3. When used in areas requiring wind borne debris protection this product complies with Chapter 16 of the Current Florida Building Code and <u>does</u> require an impact resistant covering.
- 4. Site conditions that deviate from the details of drawing **CRF022** require further engineering analysis by a licensed engineer or registered architect.
- 5. See Installation Instructions **CRF022** for size and design pressure limitations.



BUILDINGDROPS.COM

954.399.8478

954.744.4738



398 E DANIA BEACH BLVD. SUITE 338, DANIA BEACH, FL 33004

**Certification Agency:** The manufacturer has demonstrated compliance of window products in accordance with the Current Florida Building Code and for manufacturing under an approved certification agency through **American Architectural Manufacturers Association** (FBC Organization #: CER1498).

Performance Standards:	The product described herein has been tested per:	
	• A/	AMA/WDMA/CSA 101/I.S.2/A440-11
Referenced Data:	1.	Product Testing performed by <b>Architectural Testing</b> Report #: C5716.01-801-47, Report Date: 02/20/2013
	2.	Certification Agency American Architectural Manufacturers Association (FBC Organization #: CER1498)

#### Installation:

Refer to installation instructions (**CRF022**) for anchor spacing and more details of the installation requirements.

#### **Design Pressure:**

Refer to installation instructions (CRF022) for Design Pressures with respect to product sizes.

