



BUILDING DROPS

A Perfect Solution in Every Drop!

Certificate of Authorization: 29578

398 East Dania Beach Blvd.
Suite 338
Dania Beach, FL 33004
954.399.8478 PH
954.744.4738 FX
contact@buildingdrops.com

Product Evaluation Report

of

Aviglass S.A de C.V
Seicento Forte Minimal
Sliding Glass Door
(Non-Impact) (HVHZ)

for

Florida Product Approval

FL# FL31767

Report No. 6582

Current Florida Building Code

Method:	1 – D (Engineering Evaluation)
Category:	Exterior Doors
Sub – Category:	Sliding Exterior Door Assemblies
Product:	Seicento Forte Minimal Sliding Glass Door
Material:	6005-T5, 6005-T6 & 6063-T5 Aluminum
Product Dimensions:	See Installation Instructions, AVI004

Prepared for:

Aviglass S.A de C.V
Maiz 180-2, Granjas Esmeralda,
Iztapalapa, 09810, Ciudad de México, Mexico


Prepared By:

Hermes F. Norero, P.E.
Florida Professional Engineer # 73778
Date: 02/06/2020

Contents:

Evaluation Report Pages 1 – 3

Digitally signed by Hermes F Norero
Reason: I am approving this document
Date: 2020.04.09 23:13:28 -04'00'



Hermes F. Norero, P.E.
Florida No. 73778



BUILDING DROPS

A Perfect Solution in Every Drop!

Certificate of Authorization: 29578

FL#: FL31767

Date: 02/06/2020

Report No: 6582

Manufacturer: Aviglass S.A de C.V

Product Category: Exterior Doors

Product Sub-Category: Sliding Exterior Door Assemblies

Compliance Method: State Product Approval Method (1)(d)

Product Name: Seicento Forte Minimal Sliding Glass Door
(Non-Impact)(HVHZ)

Scope: This is a Product Evaluation Report issued by Hermes F. Norero, P.E. (FL # 73778) for **Aviglass S.A de C.V** based on Method 1d of the Florida Product Approval System, Florida Department of Business and Professional Regulation - Florida Building Commission.

Hermes F. Norero, P.E. does not have nor will acquire financial interest in the company manufacturing or distributing the product or in any other entity involved in the approval process of the product named herein.

This product has been evaluated for use in locations adhering to the current Florida Building Code.

See Installation Instructions **AVI004**, signed and sealed by Hermes F. Norero (FL # 73778), for specific use parameters.

Limits of Use:

1. This product has been evaluated and is in compliance with the current Florida Building Code, **including** the "High Velocity Hurricane Zone" (HVHZ).
2. Product anchors shall be as listed and spaced as shown on details. Anchor embedment into substrate material shall be beyond wall dressing or stucco.
3. When used in areas requiring wind borne debris protection this product complies with Chapter 16 of the current Florida Building Code and **does require** an impact resistant covering.
4. Site conditions that deviate from the details of **AVI004** require further engineering analysis by a licensed engineer or registered architect.
5. See Installation Instructions **AVI004** for size and design pressure limitations.



BUILDING DROPS

A Perfect Solution in Every Drop!

Certificate of Authorization: 29578

FL#: FL31767

Date: 02/06/2020

Report No: 6582

Quality Assurance:

The manufacturer has demonstrated compliance of products in accordance with the Florida Building Code for manufacturing under an approved quality assurance program audited through **National Accreditation and Management Institute** (FBC Organization #: QUA1789).

Performance Standards:

The product described herein has been tested per:

- AAMA/WDMA/CSA 101/I.S.2/A440-11
- TAS 202-94

Referenced Data:

1. Product Testing performed by **PRI Construction Materials Technologies LLC** (FBC Organization # TST5878)
Report #: 2117T0001 Report Date: 01/10/2020
Signed and sealed by Zachary Priest, P.E. FL# 74021

Installation:

Refer to Installation Instructions (**AVI004**) for anchor spacing and more details of the installation requirements.

Design Pressure:

Refer to Installation Instructions (**AVI004**) for design pressures based on size and configuration.