

AL-FAROOQ CORPORATION

CONSULTING ENGINEERS & PRODUCT DEVELOPMENT

PRODUCT APPROVAL EVALUATION RULE CHAPTER #61G20-3 • METHOD 1 OPTION D

FL 36855

Date: 10/17/2023

Detailed Product Description:

Manufacturer: DURAFLEX, a division of DURASERV Corp.

Manufacturer Address: 2951 Northern Cross Blvd., Suite 213, Fort Worth, TX 76137

Model Name: Series 'DuraFlex' (12'-2") Hight Impact Sectional Garage Door

Maximum Load: +52.9 PSF, -60.3 PSF (Large Missile Impact)

Installation Drawings # 21-56F

This product does not comply with the High Velocity Hurricane Zone (HVHZ) testing requirements.

For maximum sizes, combination of span vs loads and anchor type refer to installation drawings.

Comparative analysis used ☐ Yes ☒ No

Mandatory Tests (Tested in accordance with AAMA 101/I.S.2/NAFS-02/TAS-202)

TEST	DESCRIPTION	TEST LOCATION	TEST REPORT DATE	TEST REPORT #	Test Sealed by
ASTM E330 & TAS 202	Uniform Static Air Press.	Intertek B&C	06/02/2021	K6827.01-109-18	Daniel C. Culbert, P.E.
AAMA 1304	Forced Entry Test	Intertek B&C	06/02/2021	K6827.01-109-18	Daniel C. Culbert, P.E.

Supplemental Tests (Tested in accordance with TAS-201 and TAS-203)


TEST	DESCRIPTION	TEST LOCATION	TEST REPORT DATE	TEST REPORT #	Test Sealed by
TAS 201 & 203	Large Missile Impact & Cyclic	Intertek B&C	06/02/2021	K6827.01-109-18	Daniel C. Culbert, P.E.

Under the limitations of the attached installation drawings, to the best of my knowledge and ability, the above product conforms to the requirements of the 2023 Florida Building Code.

Evaluation Report Engineer:

Jalal Farooq
Al-Farooq Corporation

PE # 81223
EB # 3538



Sealed: 10/17/2023